

# Package ‘evmr’

March 29, 2026

**Type** Package

**Title** Extreme Value Modeling for r-Largest Order Statistics

**Version** 0.1.0

**Description** Tools for extreme value modeling based on the r-largest order statistics framework. The package provides functions for parameter estimation via maximum likelihood, return level estimation with standard errors, profile likelihood-based confidence intervals, random sample generation, and entropy difference tests for selecting the number of order statistics r. Several r-largest order statistics models are implemented, including the four-parameter kappa (rK4D), generalized logistic (rGLO), generalized Gumbel (rGGD), logistic (rLD), and Gumbel (rGD) distributions. The rK4D methodology is described in Shin et al. (2022) <[doi:10.1016/j.wace.2022.100533](https://doi.org/10.1016/j.wace.2022.100533)>, the rGLO model in Shin and Park (2024) <[doi:10.1007/s00477-023-02642-7](https://doi.org/10.1007/s00477-023-02642-7)>, and the rGGD model in Shin and Park (2025) <[doi:10.1038/s41598-024-83273-y](https://doi.org/10.1038/s41598-024-83273-y)>. The underlying distributions are related to the kappa distribution of Hosking (1994) <[doi:10.1017/CBO9780511529443](https://doi.org/10.1017/CBO9780511529443)>, the generalized logistic distribution discussed by Ahmad et al. (1988) <[doi:10.1016/0022-1694\(88\)90015-7](https://doi.org/10.1016/0022-1694(88)90015-7)>, and the generalized Gumbel distribution of Jeong et al. (2014) <[doi:10.1007/s00477-014-0865-8](https://doi.org/10.1007/s00477-014-0865-8)>. Penalized likelihood approaches for extreme value estimation follow Martins and Stedinger (2000) <[doi:10.1029/1999WR900330](https://doi.org/10.1029/1999WR900330)> and Coles and Dixon (1999) <[doi:10.1023/A:1009905222644](https://doi.org/10.1023/A:1009905222644)>. Selection of r is supported using methods discussed in Bader et al. (2017) <[doi:10.1007/s11222-016-9697-3](https://doi.org/10.1007/s11222-016-9697-3)>. The package is intended for hydrological, climatological, and environmental extreme value analysis.

**License** GPL-3

**Encoding** UTF-8

**RoxygenNote** 7.3.3

**Depends** R (>= 4.1.0)

**Imports** eva, graphics, lmomco, numDeriv, Rsolnp, stats

**Suggests** testthat (>= 3.0.0),

**Config/testthat/edition** 3

**LazyData** true

**URL** <https://github.com/yire-shin/evmr>

**BugReports** <https://github.com/yire-shin/evmr/issues>

**NeedsCompilation** no

**Author** Yire Shin [aut, cre] (ORCID: <<https://orcid.org/0000-0003-1297-5430>>),  
Jeong-Soo Park [aut, ths] (ORCID:  
<<https://orcid.org/0000-0002-8460-4869>>)

**Maintainer** Yire Shin <shinyire87@gmail.com>

**Repository** CRAN

**Date/Publication** 2026-03-29 16:40:08 UTC

## Contents

bangkok . . . . .	3
bevern . . . . .	4
evmr . . . . .	5
oykel . . . . .	6
qgd . . . . .	7
qggd . . . . .	7
qglo . . . . .	8
qk4d . . . . .	9
qld . . . . .	10
rgd.fit . . . . .	11
rgd.prof . . . . .	13
rgd.rl . . . . .	14
rgd.summary . . . . .	15
rgdr . . . . .	16
rggd.fit . . . . .	17
rggd.prof . . . . .	19
rggd.rl . . . . .	20
rggd.summary . . . . .	21
rggdEd . . . . .	22
rggdEdtest . . . . .	23
rggdLh . . . . .	24
rggdr . . . . .	25
rglo.fit . . . . .	26
rglo.prof . . . . .	28
rglo.rl . . . . .	29
rglo.summary . . . . .	31
rgloEd . . . . .	32
rgloEdtest . . . . .	34

rgloLh . . . . .	35
rglor . . . . .	36
rk4d.fit . . . . .	37
rk4d.prof . . . . .	40
rk4d.rl . . . . .	41
rk4d.summary . . . . .	42
rk4dEd . . . . .	44
rk4dEdtest . . . . .	45
rk4dLh . . . . .	47
rk4dr . . . . .	48
rld.fit . . . . .	49
rld.prof . . . . .	51
rld.rl . . . . .	52
rld.summary . . . . .	53
rldr . . . . .	54
<b>Index</b>	<b>56</b>

---

bangkok	<i>Bangkok Rainfall Data</i>
---------	------------------------------

---

## Description

Annual top five daily rainfall events recorded in Bangkok, Thailand, from 1961 to 2018. The dataset contains the five largest daily rainfall amounts observed each year.

## Usage

bangkok

## Format

A data frame with 58 rows and 5 columns:

- X1** Largest daily rainfall in the year (mm)
- X2** Second largest daily rainfall (mm)
- X3** Third largest daily rainfall (mm)
- X4** Fourth largest daily rainfall (mm)
- X5** Fifth largest daily rainfall (mm)

## Details

The data are commonly used for extreme value analysis based on r-largest order statistics.

Each row corresponds to one year from 1961 to 2018 and contains the five largest daily rainfall observations recorded in that year.

**Source**

Rain gauge station records from Bangkok, Thailand.

**References**

Shin, Y and Park, J-S. (2023). *Modeling climate extremes using the four-parameter kappa distribution for r-largest order statistics.*

**Examples**

```
data(bangkok)
head(bangkok)
```

---

bevern

*Bevern Stream Flow Data*

---

**Description**

Annual r-largest stream flow observations from the Bevern River in the UK. The dataset contains the three largest daily stream flow values recorded in each year.

**Usage**

```
bevern
```

**Format**

A data frame with 52 rows and 4 columns:

**Year** Year of observation

**r1** Largest daily stream flow in the year

**r2** Second largest daily stream flow

**r3** Third largest daily stream flow

**Details**

This dataset is commonly used for extreme value analysis based on r-largest order statistics.

The data represent annual r-largest daily stream flow observations from the Bevern River. Each row corresponds to one year and contains the three largest daily stream flow measurements recorded in that year.

**Source**

United Kingdom hydrological records. This is the original data source containing the daily stream flow observations.

## References

Shin, Y. and Park, J.-S. (2024). Generalized logistic model for  $r$ -largest order statistics, with hydrological application.

## Examples

```
data(bevern)
head(bevern)
```

---

evmr

*Fit and Compare  $r$ -Largest Order Statistics Models*

---

## Description

Fit multiple extreme value models for  $r$ -largest order statistics and return a combined summary table including parameter estimates, standard errors, and return levels.

## Usage

```
evmr(data, models = c("rk4d", "rglo", "rggd", "rgd", "rld"), num_inits = 100)
```

## Arguments

<code>data</code>	A vector, matrix, or data frame containing $r$ -largest order statistics.
<code>models</code>	Character vector specifying models to fit.
<code>num_inits</code>	Number of random initial values used in optimization.

## Value

A data frame summarizing fitted models.

## Examples

```
x <- rk4dr(n = 50, r = 2, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
evmr(x$rmat)
```

```
data(bangkok)
evmr(bangkok)
```

---

`oykel`*Oykel River Stream Flow Data*

---

**Description**

Annual  $r$ -largest daily stream flow observations from the Oykel River in the United Kingdom. The dataset contains the three largest daily stream flow values recorded in each year.

**Usage**`oykel`**Format**

A data frame with 42 rows and 4 variables:

**Year** Year of observation

**r1** Largest daily stream flow in the year

**r2** Second largest daily stream flow

**r3** Third largest daily stream flow

**Details**

The data are used for extreme value analysis based on  $r$ -largest order statistics models.

Each row represents one year and contains the three largest daily stream flow observations recorded in that year. Missing observations are represented by NA.

**Source**

United Kingdom hydrological records. This is the original data source containing the daily stream flow data.

**References**

Shin, Y. and Park, J.-S. (2025). Generalized Gumbel model for  $r$ -largest order statistics, with hydrological application.

**Examples**

```
data(oykel)
head(oykel)
```

---

qgd

*Quantile Function of the Gumbel Distribution*

---

### Description

Computes the quantiles of the Gumbel distribution with location parameter `loc` and scale parameter `scale`.

### Usage

```
qgd(p, loc = 0, scale = 1)
```

### Arguments

<code>p</code>	A numeric vector of probabilities in (0, 1).
<code>loc</code>	A numeric value specifying the location parameter.
<code>scale</code>	A positive numeric value specifying the scale parameter.

### Details

The quantile function of the Gumbel distribution is

$$Q(p) = \mu - \sigma \log(-\log(p)),$$

where  $\mu$  is the location parameter and  $\sigma > 0$  is the scale parameter.

### Value

A numeric vector of quantiles corresponding to `p`.

### Examples

```
qgd(0.5, loc = 0, scale = 1)
qgd(c(0.1, 0.5, 0.9), loc = 0, scale = 1)
```

---

qggd

*Quantile Function of the Generalized Gumbel Distribution*

---

### Description

Computes the quantiles of the generalized Gumbel distribution with location parameter `loc`, scale parameter `scale`, and shape parameter `shape`.

### Usage

```
qggd(p, loc = 0, scale = 1, shape = 0)
```

**Arguments**

p	A numeric vector of probabilities in (0, 1).
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.
shape	A numeric value specifying the shape parameter.

**Details**

The quantile function is computed as

$$Q(p) = \mu - \sigma \log\left(\frac{1-p^h}{h}\right), \quad h \neq 0,$$

with the limiting case

$$Q(p) = \mu - \sigma \log(-\log p), \quad h = 0,$$

where  $\mu$  is the location parameter,  $\sigma > 0$  is the scale parameter, and  $h$  is the shape parameter.

**Value**

A numeric vector of quantiles corresponding to p.

**References**

Jeong, B.-Y., Murshed, M. S., Seo, Y. A., and Park, J.-S. (2014). A three-parameter kappa distribution with hydrologic application: a generalized Gumbel distribution. *Stochastic Environmental Research and Risk Assessment*, 28(8), 2063–2074.

**Examples**

```
qgld(0.5, loc = 0, scale = 1, shape = 0.1)
qgld(c(0.1, 0.5, 0.9), loc = 0, scale = 1, shape = 0.1)
```

---

qglo

*Quantile Function of the Generalized Logistic Distribution*


---

**Description**

Computes the quantiles of the generalized logistic distribution with location parameter loc, scale parameter scale, and shape parameter shape.

**Usage**

```
qglo(p, loc = 0, scale = 1, shape = 0)
```

**Arguments**

p	A numeric vector of probabilities in (0, 1).
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.
shape	A numeric value specifying the shape parameter.

**Details**

The quantile function is computed as

$$Q(p) = \mu + \frac{\sigma}{\xi} \left[ 1 - \left( \frac{1-p}{p} \right)^\xi \right], \quad \xi \neq 0,$$

with the limiting case

$$Q(p) = \mu - \sigma \log \left( \frac{1-p}{p} \right), \quad \xi = 0,$$

where  $\mu$  is the location parameter,  $\sigma > 0$  is the scale parameter, and  $\xi$  is the shape parameter.

**Value**

A numeric vector of quantiles corresponding to p.

**References**

Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157

**Examples**

```
qglo(0.5, loc = 0, scale = 1, shape = 0.1)
qglo(c(0.1, 0.5, 0.9), loc = 0, scale = 1, shape = 0.1)
```

---

qk4d

---

*Quantile Function of the Four-Parameter Kappa Distribution*


---

**Description**

Computes the quantiles of the four-parameter kappa distribution with location parameter loc, scale parameter scale, and shape parameters shape1 and shape2.

**Usage**

```
qk4d(p, loc = 0, scale = 1, shape1 = 0.1, shape2 = 0.1)
```

**Arguments**

p	A numeric vector of probabilities in (0, 1).
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.
shape1	A numeric value specifying the first shape parameter.
shape2	A numeric value specifying the second shape parameter.

**Details**

The quantile function of the four-parameter kappa distribution is

$$Q(p) = \mu + \frac{\sigma}{\xi} \left[ 1 - \left( \frac{1 - p^h}{h} \right)^\xi \right],$$

where  $\mu$  is the location parameter,  $\sigma > 0$  is the scale parameter, and  $\xi$  and  $h$  are shape parameters.

For numerical stability, the limiting cases  $\xi = 0$  and/or  $h = 0$  are handled separately.

**Value**

A numeric vector of quantiles corresponding to p.

**References**

Shin, Y., and Park, J.-S.(2023). Modeling climate extremes using the four-parameter kappa distribution for r-largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

Hosking, J. R. M. (1994). *The four-parameter Kappa distribution*. Cambridge University Press.

**Examples**

```
qk4d(0.5, loc = 0, scale = 1, shape1 = 0.1, shape2 = 0.1)
qk4d(c(0.1, 0.5, 0.9), loc = 0, scale = 1, shape1 = 0.1, shape2 = 0.1)
```

---

qld

---

*Quantile Function of the Logistic Distribution*


---

**Description**

Computes the quantiles of the logistic distribution with location parameter loc and scale parameter scale.

**Usage**

```
qld(p, loc = 0, scale = 1)
```

**Arguments**

p	A numeric vector of probabilities in (0, 1).
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.

**Details**

The quantile function of the logistic distribution is

$$Q(p) = \mu + \sigma \log\left(\frac{p}{1-p}\right),$$

where  $\mu$  is the location parameter and  $\sigma > 0$  is the scale parameter.

**Value**

A numeric vector of quantiles corresponding to p.

**Examples**

```
qld(0.5, loc = 0, scale = 1)
qld(c(0.1, 0.5, 0.9), loc = 0, scale = 1)
```

---

 rgd.fit

---

*Fit the Gumbel Distribution to r-Largest Order Statistics*


---

**Description**

Fits the Gumbel distribution to  $r$ -largest order statistics using maximum likelihood estimation. Stationary and non-stationary models are supported through generalized linear modelling of the location and scale parameters.

**Usage**

```
rgd.fit(
  xdat,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  mulink = identity,
  siglink = identity,
  num_inits = 100,
  munit = NULL,
  siginit = NULL,
  show = TRUE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

xdat	A numeric vector, matrix, or data frame of observations. Each row should contain decreasing order statistics for a given year or block. The first column therefore contains block maxima. Only the first <i>r</i> columns are used in the fitted model. If <i>r</i> is NULL, all available columns are used. If some rows contain fewer order statistics than others, missing values should be appended at the end of the corresponding rows.
r	The number of largest order statistics to use in the fitted model. If NULL, all columns of xdat are used.
ydat	A matrix or data frame of covariates for non-stationary modelling of the parameters, or NULL for a stationary model. The number of rows must match the number of rows of xdat.
mul, sigl	Integer vectors indicating which columns of ydat are used as covariates for the location and scale parameters, respectively. Use NULL for stationary parameters.
mulink, siglink	Inverse link functions for the location and scale parameters, respectively.
num_inits	The number of initial parameter sets used in the optimization.
muinit, siginit	Numeric vectors giving initial values for the location and scale parameters. If NULL, default initial values based on L-moments are used.
show	Logical. If TRUE, details of the fitted model are printed.
method	Optimization method passed to <code>optim</code> for stationary fits.
maxit	Maximum number of iterations for <code>optim</code> .
...	Additional control arguments passed to the optimizer.

**Value**

A list with components including:

trans	Logical; TRUE if a non-stationary model is fitted.
model	A list containing mul and sigl.
link	A character string describing the inverse link functions.
conv	The convergence code returned by the optimizer. A value of 0 indicates successful convergence for <code>optim</code> .
nllh	The negative log-likelihood evaluated at the fitted parameters.
data	The data used in the fit.
mle	The maximum likelihood estimates.
cov	The estimated covariance matrix.
se	The estimated standard errors.
vals	A matrix containing fitted values of the location and scale parameters at each observation.
r	The number of order statistics used in the fitted model.

## References

- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J.-S. (2025). Generalized Gumbel model for r-largest order statistics with application to peak streamflow. *Scientific Reports*. doi:10.1038/s4159802483273y

## See Also

[optim](#)

## Examples

```
x <- rgdr(n = 50, r = 2, loc = 10, scale = 2)
fit <- rgd.fit(x$rmat)
```

---

 rgd.prof

---

*Profile Likelihood for Return Levels under the rGD Model*


---

## Description

Computes and plots the profile log-likelihood for a return level under a stationary r-largest Gumbel distribution model fitted by `rgd.fit()`.

## Usage

```
rgd.prof(z, m, xlow, xup, conf = 0.95, nint = 100)
```

## Arguments

<code>z</code>	An object returned by <code>rgd.fit</code> . The fitted model must be stationary.
<code>m</code>	A return period greater than 1. The profile likelihood is computed for the corresponding return level exceeded with probability $1/m$ .
<code>xlow, xup</code>	The lower and upper bounds of the return level grid over which the profile likelihood is evaluated.
<code>conf</code>	A numeric vector of confidence levels for profile likelihood confidence intervals.
<code>nint</code>	The number of grid points used to evaluate the profile likelihood.

## Details

The function evaluates the profile log-likelihood over a grid of return level values and plots the resulting curve. Horizontal and vertical lines are added to indicate profile likelihood confidence intervals for the confidence levels specified in `conf`.

## Value

A data frame containing the return period, estimated return level, confidence level, lower confidence limit, upper confidence limit, and interval width. A profile likelihood plot is also produced.

**See Also**

[rgd.fit](#), [rgd.rl](#)

**Examples**

```
x <- rgdr(n = 50, r = 2, loc = 10, scale = 2)
fit <- rgd.fit(x$rmat)
rgd.prof(fit, m = 100, xlow = 12, xup = 25)
```

---

 rgd.rl

*Return Levels for the Gumbel Distribution*


---

**Description**

Computes return levels and their standard errors for a stationary Gumbel model fitted by [rgd.fit](#).

**Usage**

```
rgd.rl(z, year = c(20, 50, 100, 200), show = TRUE)
```

**Arguments**

<code>z</code>	An object returned by <a href="#">rgd.fit</a> . The fitted model should represent a stationary model.
<code>year</code>	A numeric vector of return periods for which return levels are to be computed.
<code>show</code>	Logical. If TRUE, the estimated return levels and their standard errors are printed.

**Details**

For a return period  $T$ , the return level is defined as the quantile exceeded with probability  $1/T$ . Under the Gumbel distribution, the return level is

$$x_T = \mu - \sigma \log\{-\log(1 - 1/T)\}.$$

Standard errors are obtained using the delta method.

**Value**

The input object `z` with two additional components:

<code>rl</code>	A numeric vector of estimated return levels.
<code>rlse</code>	A numeric vector of standard errors of the estimated return levels.

**See Also**

[rgd.fit](#), [rgd.prof](#)

**Examples**

```
x <- rgdr(n = 50, r = 2, loc = 10, scale = 2)
fit <- rgd.fit(x$rmat)
out <- rgd.rl(fit, year = c(20, 50, 100, 200))
```

---

 rgd.summary

*Summary of Fitted rGD Models over Different Values of r*


---

**Description**

Summarizes fitted Gumbel distribution models for  $r$ -largest order statistics over  $r = 1, \dots, R$ . For each value of  $r$ , the function fits the model using `rgd.fit` and computes return levels using `rgd.rl`.

**Usage**

```
rgd.summary(
  data,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  mulink = identity,
  siglink = identity,
  num_inits = 100,
  munit = NULL,
  siginit = NULL,
  show = FALSE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

<code>data</code>	A numeric vector, matrix, or data frame containing the $r$ -largest order statistics. Each row should contain decreasing order statistics for one block or time period.
<code>r</code>	Optional integer giving the maximum number of order statistics to summarize. If NULL, all available columns are used.
<code>ydat</code>	A matrix or data frame of covariates for generalized linear modelling of the parameters, or NULL for stationary fitting.
<code>mul, sigl</code>	Integer vectors indicating which columns of <code>ydat</code> are used as covariates for the location and scale parameters, respectively.
<code>mulink, siglink</code>	Inverse link functions for the location and scale parameters, respectively.
<code>num_inits</code>	Number of initial parameter sets used in optimization.
<code>munit, siginit</code>	Optional initial values for the location and scale parameters.

show	Logical. If TRUE, print details from model fitting.
method	Optimization method passed to <code>optim</code> .
maxit	Maximum number of iterations for optimization.
...	Additional arguments passed to <code>rgd.fit</code> .

### Value

A data frame containing:

- `r`: number of order statistics used
- `nllh`: negative log-likelihood
- `mu`, `sigma`: parameter estimates
- `mu.se`, `sigma.se`: standard errors
- `r120`, `r150`, `r1100`, `r1200`: return levels
- `r120.se`, `r150.se`, `r1100.se`, `r1200.se`: standard errors of return levels

### Examples

```
x <- rgdr(n = 50, r = 2, loc = 10, scale = 2)
rgd.summary(x$mat)
```

---

rgdr	<i>Random Generation from the Gumbel Distribution for r-Largest Order Statistics</i>
------	--

---

### Description

Generates random samples from the Gumbel distribution for  $r$ -largest order statistics.

### Usage

```
rgdr(n, r, loc = 0, scale = 1)
```

### Arguments

<code>n</code>	A positive integer specifying the number of observations.
<code>r</code>	A positive integer specifying the number of order statistics for each observation.
<code>loc</code>	A numeric value specifying the location parameter.
<code>scale</code>	A positive numeric value specifying the scale parameter.

### Details

The function first generates independent uniform random variables and then constructs decreasing variables through cumulative products. These are transformed using the Gumbel quantile function `qgd`.

**Value**

A list with components:

umat	An $n \times r$ matrix of independent uniform random numbers.
wmat	An $n \times r$ matrix of transformed uniform variables used to construct decreasing order statistics.
rmat	An $n \times r$ matrix of simulated $r$ -largest order statistics from the Gumbel distribution.

**Examples**

```
x <- rgdr(n=10, r=3, loc = 0, scale = 1)
x$rmat
```

---

 rggd.fit

*Fit the Generalized Gumbel Distribution to  $r$ -Largest Order Statistics*


---

**Description**

Fits the generalized Gumbel distribution to  $r$ -largest order statistics using maximum likelihood estimation. Stationary and non-stationary models are supported through generalized linear modelling of the location, scale, and shape parameters.

**Usage**

```
rggd.fit(
  xdat,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  hl = NULL,
  mulink = identity,
  siglink = identity,
  hlink = identity,
  num_inits = 100,
  munit = NULL,
  siginit = NULL,
  hinit = NULL,
  show = TRUE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

<code>xdat</code>	A numeric vector, matrix, or data frame of observations. Each row should contain decreasing order statistics for a given year or block. The first column therefore contains block maxima. Only the first <code>r</code> columns are used in the fitted model. If <code>r</code> is NULL, all available columns are used. If some rows contain fewer order statistics than others, missing values should be appended at the end of the corresponding rows.
<code>r</code>	The number of largest order statistics to use in the fitted model. If NULL, all columns of <code>xdat</code> are used.
<code>ydat</code>	A matrix or data frame of covariates for non-stationary modelling of the parameters, or NULL for a stationary model. The number of rows must match the number of rows of <code>xdat</code> .
<code>mul, sigl, hl</code>	Integer vectors indicating which columns of <code>ydat</code> are used as covariates for the location, scale, and shape parameters, respectively. Use NULL for stationary parameters.
<code>mulink, siglink, hlink</code>	Inverse link functions for the location, scale, and shape parameters, respectively.
<code>num_inits</code>	The number of initial parameter sets used in the optimization.
<code>muinit, siginit, hinit</code>	Numeric vectors giving initial values for the location, scale, and shape parameters. If NULL, default initial values based on L-moments are used.
<code>show</code>	Logical. If TRUE, details of the fitted model are printed.
<code>method</code>	Optimization method passed to <code>optim</code> for stationary fits.
<code>maxit</code>	Maximum number of iterations for <code>optim</code> .
<code>...</code>	Additional control arguments passed to the optimizer.

**Value**

A list with components including:

<code>trans</code>	Logical; TRUE if a non-stationary model is fitted.
<code>model</code>	A list containing <code>mul</code> , <code>sigl</code> , and <code>hl</code> .
<code>link</code>	A character vector describing the inverse link functions.
<code>conv</code>	The convergence code returned by the optimizer.
<code>nllh</code>	The negative log-likelihood evaluated at the fitted parameters.
<code>data</code>	The data used in the fit.
<code>mle</code>	The maximum likelihood estimates.
<code>cov</code>	The estimated covariance matrix when available.
<code>se</code>	The estimated standard errors when available.
<code>vals</code>	A matrix containing fitted values of the location, scale, and shape parameters at each observation.
<code>r</code>	The number of order statistics used in the fitted model.

#' @references Shin, Y., & Park, J.-S. (2025). Generalized Gumbel model for r-largest order statistics with application to peak streamflow. *Scientific Reports*. doi:10.1038/s4159802483273y

**See Also**[optim](#)**Examples**

```
x <- rggdr(n = 50, r = 2, loc = 10, scale = 2, shape = 0.1)
fit <- rggd.fit(x$mat)
```

---

`rggd.prof`*Profile Likelihood for Return Levels under the rGGD Model*

---

**Description**

Computes and plots the profile log-likelihood for a return level under a stationary r-largest generalized Gumbel distribution (rGGD) model fitted by [rggd.fit](#).

**Usage**

```
rggd.prof(z, m, xlow, xup, conf = 0.95, nint = 100)
```

**Arguments**

<code>z</code>	An object returned by <a href="#">rggd.fit</a> . The fitted model must represent a stationary model.
<code>m</code>	A return period greater than 1. The profile likelihood is computed for the corresponding return level exceeded with probability $1/m$ .
<code>xlow, xup</code>	Lower and upper bounds of the return level grid over which the profile likelihood is evaluated.
<code>conf</code>	A numeric vector of confidence levels for profile likelihood confidence intervals.
<code>nint</code>	The number of grid points used to evaluate the profile likelihood.

**Details**

The function evaluates the profile log-likelihood over a grid of return level values and plots the resulting curve. Horizontal and vertical lines are added to indicate profile likelihood confidence intervals for the confidence levels specified in `conf`.

#' @references Shin, Y., & Park, J.-S. (2025). Generalized Gumbel model for r-largest order statistics with application to peak streamflow. *Scientific Reports*. doi:10.1038/s4159802483273y

**Value**

A data frame containing the return period, estimated return level, confidence level, lower confidence limit, upper confidence limit, and interval width. A profile likelihood plot is also produced.

**See Also**[rggd.fit](#), [rggd.rl](#)

**Examples**

```
x <- rggdr(n = 50, r = 2, loc = 10, scale = 2, shape = 0.1)
fit <- rggd.fit(x$mat)
rggd.prof(fit, m = 100, xlow = 12, xup = 30)
```

---

 rggd.rl

*Return Levels for the Generalized Gumbel Distribution*


---

**Description**

Computes return levels and their standard errors for a stationary generalized Gumbel model fitted by [rggd.fit](#).

**Usage**

```
rggd.rl(z, year = c(20, 50, 100, 200), show = TRUE)
```

**Arguments**

<code>z</code>	An object returned by <a href="#">rggd.fit</a> . The fitted model should represent a stationary model.
<code>year</code>	A numeric vector of return periods for which return levels are to be computed.
<code>show</code>	Logical. If TRUE, the estimated return levels and their standard errors are printed.

**Details**

For a return period  $T$ , the return level is defined as the quantile exceeded with probability  $1/T$ . Under the generalized Gumbel distribution, the return level is

$$x_T = \mu - \sigma \log \left( \frac{1 - (1 - 1/T)^h}{h} \right), \quad h \neq 0.$$

Standard errors are obtained using the delta method.

**Value**

The input object `z` with two additional components:

<code>r1</code>	A numeric vector of estimated return levels.
<code>r1se</code>	A numeric vector of standard errors of the estimated return levels.

**See Also**

[rggd.fit](#), [rggd.prof](#)

**Examples**

```
x <- rggdr(n = 50, r = 2, loc = 10, scale = 2, shape = 0.1)
fit <- rggd.fit(x$mat)
out <- rggd.rl(fit, year = c(20, 50, 100, 200))
```

**Description**

Summarizes fitted generalized Gumbel distribution models for  $r$ -largest order statistics over  $r = 1, \dots, R$ . For each value of  $r$ , the function fits the model using `rggd.fit` and computes return levels using `rggd.rl`.

**Usage**

```
rggd.summary(
  data,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  hl = NULL,
  mulink = identity,
  siglink = identity,
  hlink = identity,
  num_inits = 100,
  munit = NULL,
  siginit = NULL,
  hinit = NULL,
  show = FALSE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

<code>data</code>	A numeric vector, matrix, or data frame containing the $r$ -largest order statistics. Each row should contain decreasing order statistics for one block or time period.
<code>r</code>	Optional integer giving the maximum number of order statistics to summarize. If NULL, all available columns are used.
<code>ydat</code>	A matrix or data frame of covariates for generalized linear modelling of the parameters, or NULL for stationary fitting.
<code>mul, sigl, hl</code>	Integer vectors indicating which columns of <code>ydat</code> are used for the location, scale, and shape parameters, respectively.
<code>mulink, siglink, hlink</code>	Inverse link functions for the location, scale, and shape parameters, respectively.
<code>num_inits</code>	Number of initial parameter sets used in optimization.
<code>munit, siginit, hinit</code>	Optional initial values for the location, scale, and shape parameters.

show	Logical. If TRUE, print details from model fitting.
method	Optimization method passed to <code>optim</code> .
maxit	Maximum number of iterations for optimization.
...	Additional arguments passed to <code>rggd.fit</code> .

**Value**

A data frame containing:

- `r`: number of order statistics used
- `nllh`: negative log-likelihood
- `mu`, `sigma`, `h`: parameter estimates
- `mu.se`, `sigma.se`, `h.se`: standard errors
- `r120`, `r150`, `r1100`, `r1200`: return levels
- `r120.se`, `r150.se`, `r1100.se`, `r1200.se`: standard errors of return levels

**Examples**

```
x <- rggdr(n = 50, r = 2, loc = 10, scale = 2, shape = 0.1)
rggd.summary(x$rmat)
```

---

 rggdEd

---

*Entropy Difference Test for rGGD Models*


---

**Description**

Performs the entropy difference (ED) test for selecting the number of order statistics in the  $r$ -largest generalized Gumbel distribution (rGGD) model.

**Usage**

```
rggdEd(data)
```

**Arguments**

<code>data</code>	A numeric matrix or data frame containing the $r$ -largest order statistics. Each row represents one block or observation, and columns must be ordered from largest to smallest.
-------------------	--

**Details**

The test compares the entropy of models fitted with  $r$  and  $r - 1$  order statistics and evaluates whether the additional order statistic provides significant information.

This function fits the rGGD model using `rggd.fit` and then computes the entropy difference test statistic by comparing the fitted likelihood contributions from models with  $r$  and  $r - 1$  order statistics.

**Value**

A list containing:

- `statistics`: the entropy difference test statistic
- `p.value`: the two-sided p-value
- `theta`: the estimated parameter vector of the rGGD model
- `ybar`: the sample mean entropy difference

**References**

Shin, Y., & Park, J.-S. (2025). Generalized Gumbel model for  $r$ -largest order statistics with application to peak streamflow. *Scientific Reports*. doi:10.1038/s4159802483273y

Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973

**Examples**

```
x <- rggdr(n=50, r=3, loc = 10, scale = 2, shape = 0.1)
rggdEd(x$rmat)
```

---

rggdEdtest

*Sequential Entropy Difference Test for rGGD Models*

---

**Description**

Performs the sequential entropy difference (ED) test for selecting the number of order statistics in the  $r$ -largest generalized Gumbel distribution (rGGD) model.

**Usage**

```
rggdEdtest(data)
```

**Arguments**

<code>data</code>	A numeric matrix or data frame containing the $r$ -largest order statistics. Each row represents one observation (or block), and columns must be ordered from largest to smallest.
-------------------	--

**Details**

The procedure computes ED tests sequentially for  $r = 2, \dots, R$  and applies the ForwardStop and StrongStop stopping rules to control the false discovery rate.

The function sequentially applies the entropy difference test (`rggdEd`) for increasing values of  $r$ . The columns of `data` must represent decreasing order statistics within each row, with the first column containing the block maximum. The resulting p-values are adjusted using the ForwardStop and StrongStop procedures to help determine an appropriate value of  $r$ .

**Value**

A data frame containing:

- `r` Value of  $r$  tested
- `p.values` Raw p-values from the entropy difference tests
- `statistic` Test statistics for each value of  $r$
- `est.loc` Estimated location parameter
- `est.scale` Estimated scale parameter
- `est.shape` Estimated shape parameter
- `ybar` Mean entropy difference
- `ForwardStop` Adjusted values from the ForwardStop rule
- `StrongStop` Adjusted values from the StrongStop rule

**References**

Shin, Y., & Park, J.-S. (2025). Generalized Gumbel model for  $r$ -largest order statistics with application to peak streamflow. *Scientific Reports*. doi:10.1038/s4159802483273y

Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973

**See Also**

[rggdEd](#), [rggd.fit](#)

**Examples**

```
x <- rggdr(n=50, r=3, loc = 10, scale = 2, shape = 0.1)
rggdEdtest(x$rmat)

#' data(bangkok)
rggdEdtest(bangkok)
```

---

rggdLh

*Negative Log-Likelihood for the rGGD Model*

---

**Description**

Computes the negative log-likelihood for the  $r$ -largest generalized Gumbel distribution (rGGD) model.

**Usage**

```
rggdLh(data, par)
```

**Arguments**

data	A numeric vector, matrix, or data frame of observations. If a vector is supplied, it is treated as a one-column matrix. If a matrix or data frame is supplied, each row is treated as one observation and columns represent decreasing order statistics.
par	A numeric vector of length 3 giving the location, scale, and shape parameters, respectively.

**Details**

This function is intended for internal likelihood evaluation in optimization. Invalid parameter combinations return `Inf` rather than stopping with an error, which makes the function more robust when used inside optimizers such as `optim`.

#' @references Shin, Y., & Park, J.-S. (2025). Generalized Gumbel model for  $r$ -largest order statistics with application to peak streamflow. *Scientific Reports*. doi:10.1038/s4159802483273y

**Value**

A single numeric value giving the negative log-likelihood. If the parameter combination is invalid, the function returns `Inf`.

**Examples**

```
x <- rggdr(n=50, r=2, loc = 10, scale = 2, shape = 0.1)
fit <- rggd.fit(x$mat, num_inits = 5)
rggdLh(data=fit$data,par=fit$mle)
```

---

rggdr	<i>Random Generation from the Generalized Gumbel Distribution for <math>r</math>-Largest Order Statistics</i>
-------	---

---

**Description**

Generates random samples from the generalized Gumbel distribution for  $r$ -largest order statistics.

**Usage**

```
rggdr(n, r, loc = 0, scale = 1, shape = 0.1)
```

**Arguments**

n	A positive integer specifying the number of observations.
r	A positive integer specifying the number of order statistics for each observation.
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.
shape	A numeric value specifying the shape parameter.

**Details**

The function first generates independent uniform random variables and then constructs decreasing variables through recursive transformations depending on the shape parameter. These are transformed using the generalized Gumbel quantile function [qggd](#).

For valid generation, the shape parameter must satisfy  $1 - (j - 1)h > 0$  for  $j = 2, \dots, r$ , which implies  $h < 1/(r - 1)$  when  $r > 1$ .

**Value**

A list with components:

umat	An $n \times r$ matrix of independent uniform random numbers.
wmat	An $n \times r$ matrix of transformed uniform variables used to construct decreasing order statistics.
rmat	An $n \times r$ matrix of simulated $r$ -largest order statistics from the generalized Gumbel distribution.

**Examples**

```
x <- rggdr(n=10, r=3, loc = 10, scale = 2, shape = 0.1)
x$rmat
```

---

 rglo.fit

---

*Fit the Generalized Logistic Distribution to  $r$ -Largest Order Statistics*


---

**Description**

Fits the generalized logistic distribution to  $r$ -largest order statistics using maximum likelihood estimation. Stationary and non-stationary models are supported through generalized linear modelling of the location, scale, and shape parameters.

**Usage**

```
rglo.fit(
  xdat,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  shl = NULL,
  mulink = identity,
  siglink = identity,
  shlink = identity,
  num_inits = 100,
  munit = NULL,
  siginit = NULL,
```

```

shinit = NULL,
show = TRUE,
method = "Nelder-Mead",
maxit = 10000,
...
)

```

## Arguments

xdat	A numeric vector, matrix, or data frame of observations. Each row should contain decreasing order statistics for a given year or block. The first column therefore contains block maxima. Only the first <i>r</i> columns are used in the fitted model. If <i>r</i> is NULL, all available columns are used. If some rows contain fewer order statistics than others, missing values should be appended at the end of the corresponding rows.
r	The number of largest order statistics to use in the fitted model. If NULL, all columns of xdat are used.
ydat	A matrix or data frame of covariates for non-stationary modelling of the parameters, or NULL for a stationary model. The number of rows must match the number of rows of xdat.
mul, sigl, shl	Integer vectors indicating which columns of ydat are used as covariates for the location, scale, and shape parameters, respectively. Use NULL for stationary parameters.
mulink, siglink, shlink	Inverse link functions for the location, scale, and shape parameters, respectively.
num_inits	The number of initial parameter sets used in the optimization.
muinit, siginit, shinit	Numeric vectors giving initial values for the location, scale, and shape parameters. If NULL, default initial values based on L-moments are used.
show	Logical. If TRUE, details of the fitted model are printed.
method	Optimization method passed to <code>optim</code> for stationary fits.
maxit	Maximum number of iterations for <code>optim</code> .
...	Additional control arguments passed to the optimizer.

## Value

A list with components including:

trans	Logical; TRUE if a non-stationary model is fitted.
model	A list containing mul, sigl, and shl.
link	A character vector describing the inverse link functions.
conv	The convergence code returned by the optimizer.
nllh	The negative log-likelihood evaluated at the fitted parameters.
data	The data used in the fit.
mle	The maximum likelihood estimates.

cov	The estimated covariance matrix when available.
se	The estimated standard errors when available.
vals	A matrix containing fitted values of the location, scale, and shape parameters at each observation.
r	The number of order statistics used in the fitted model.

## References

- Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

## See Also

[optim](#)

## Examples

```
x <- rglor(n = 50, r = 3, loc = 10, scale = 2, shape = 0.1)
fit <- rglo.fit(x$rmat, num_inits = 5)
```

---

rglo.prof

*Profile Likelihood for Return Levels under the rGLO Model*

---

## Description

Computes and plots the profile log-likelihood for a return level under a stationary r-largest generalized logistic distribution (rGLO) model fitted by [rglo.fit](#).

## Usage

```
rglo.prof(z, m, xlow, xup, conf = 0.95, nint = 100)
```

## Arguments

z	An object returned by <a href="#">rglo.fit</a> . The fitted model must represent a stationary model.
m	A return period greater than 1. The profile likelihood is computed for the corresponding return level exceeded with probability $1/m$ .
xlow, xup	Lower and upper bounds of the return level grid over which the profile likelihood is evaluated.
conf	A numeric vector of confidence levels for profile likelihood confidence intervals.
nint	The number of grid points used to evaluate the profile likelihood.

## Details

The function evaluates the profile log-likelihood over a grid of return level values and plots the resulting curve. Horizontal and vertical lines are added to indicate profile likelihood confidence intervals for the confidence levels specified in `conf`.

## Value

A data frame containing the return period, estimated return level, confidence level, lower confidence limit, upper confidence limit, and interval width. A profile likelihood plot is also produced.

## References

- Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

## See Also

[rglo.fit](#), [rglo.rl](#)

## Examples

```
x <- rglor(n = 50, r = 2, loc = 10, scale = 2, shape = 0.1)
fit <- rglo.fit(x$rmat)
rglo.prof(fit, m = 100, xlow = 12, xup = 25)
```

---

rglo.rl

*Return Levels for the Generalized Logistic Distribution*

---

## Description

Computes return levels and their standard errors for a stationary generalized logistic model fitted by [rglo.fit](#).

## Usage

```
rglo.rl(z, year = c(20, 50, 100, 200), show = TRUE)
```

## Arguments

- |                   |  |
|-------------------|--|
| <code>z</code>    | An object returned by <a href="#">rglo.fit</a> . The fitted model should represent a stationary model. |
| <code>year</code> | A numeric vector of return periods for which return levels are to be computed.                         |
| <code>show</code> | Logical. If TRUE, the estimated return levels and their standard errors are printed.                   |

## Details

For a return period  $T$ , the return level is defined as the quantile exceeded with probability  $1/T$ . Under the generalized logistic distribution, the return level is

$$x_T = \mu + \frac{\sigma}{\xi} \left[ 1 - \left( \frac{1 - 1/T}{1/T} \right)^{-\xi} \right],$$

which is equivalently written in the implementation as

$$x_T = \mu + \frac{\sigma}{\xi} - \frac{\sigma}{\xi} \left( \frac{1/T}{1 - 1/T} \right)^{\xi}.$$

Standard errors are obtained using the delta method.

## Value

The input object `z` with two additional components:

- `r1`                    A numeric vector of estimated return levels.
- `r1se`                A numeric vector of standard errors of the estimated return levels.

## References

Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157

Coles, S. (2001). An Introduction to Statistical Modeling of Extreme Values. Springer.

Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

## See Also

[rglo.fit](#), [rglo.prof](#)

## Examples

```
x <- rglor(n = 50, r = 3, loc = 10, scale = 2, shape = 0.1)
fit <- rglo.fit(x$mat)
out <- rglo.r1(fit, year = c(20, 50, 100, 200))
```

**Description**

Summarizes fitted generalized logistic distribution models for  $r$ -largest order statistics over  $r = 1, \dots, R$ . For each value of  $r$ , the function fits the model using `rglo.fit` and computes return levels using `rglo.rl`.

**Usage**

```
rglo.summary(
  data,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  shl = NULL,
  mulink = identity,
  siglink = identity,
  shlink = identity,
  num_inits = 100,
  munit = NULL,
  siginit = NULL,
  shinit = NULL,
  show = FALSE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

<code>data</code>	A numeric vector, matrix, or data frame containing the $r$ -largest order statistics. Each row should contain decreasing order statistics for one block or time period.
<code>r</code>	Optional integer giving the maximum number of order statistics to summarize. If NULL, all available columns are used.
<code>ydat</code>	A matrix or data frame of covariates for generalized linear modelling of the parameters, or NULL for stationary fitting.
<code>mul, sigl, shl</code>	Integer vectors indicating which columns of <code>ydat</code> are used for the location, scale, and shape parameters, respectively.
<code>mulink, siglink, shlink</code>	Inverse link functions for the location, scale, and shape parameters, respectively.
<code>num_inits</code>	Number of initial parameter sets used in optimization.
<code>munit, siginit, shinit</code>	Optional initial values for the location, scale, and shape parameters.

show	Logical. If TRUE, print details from model fitting.
method	Optimization method passed to <code>optim</code> .
maxit	Maximum number of iterations for optimization.
...	Additional arguments passed to <code>rglo.fit</code> .

### Value

A data frame containing:

- `r`: number of order statistics used
- `nllh`: negative log-likelihood
- `mu`, `sigma`, `xi`: parameter estimates
- `mu.se`, `sigma.se`, `xi.se`: standard errors
- `r120`, `r150`, `r1100`, `r1200`: return levels
- `r120.se`, `r150.se`, `r1100.se`, `r1200.se`: standard errors of return levels

### References

Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157

Coles, S. (2001). An Introduction to Statistical Modeling of Extreme Values. Springer.

Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

### Examples

```
x <- rglor(n = 50, r = 3, loc = 10, scale = 2, shape = 0.1)
rglo.summary(x$rmat, num_inits = 5)
```

---

rgloEd

*Entropy Difference Test for rGLO Models*

---

### Description

Performs the entropy difference (ED) test for selecting the number of order statistics in the r-largest generalized logistic distribution (rGLO) model.

### Usage

```
rgloEd(data, par = NULL)
```

## Arguments

data	A numeric matrix or data frame containing the $r$ -largest order statistics. Each row represents one block or observation, and columns must be ordered from largest to smallest.
par	An optional numeric vector of length 3 giving the location, scale, and shape parameters. If NULL, the parameters are estimated using <a href="#">rglo.fit</a> .

## Details

The test compares the entropy of models fitted with  $r$  and  $r - 1$  order statistics and evaluates whether the additional order statistic provides significant information.

This function applies the entropy difference test to the  $r$ -largest generalized logistic model. If `par` is not supplied, the model parameters are first estimated using [rglo.fit](#).

## Value

A list containing:

- `statistics`: the entropy difference test statistic
- `p.value`: the two-sided p-value
- `theta`: the estimated or supplied parameter vector
- `ybar`: the sample mean entropy difference

## References

Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973

Shin, Y., & Park, J-S. (2024). Generalized logistic model for  $r$ -largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

## See Also

[rglo.fit](#), [rgloLh](#)

## Examples

```
x <- rglor(n=50, r=3, loc = 10, scale = 2, shape = 0.1)
rgloEd(x$rmat)
```

---

 rgloEdtest

*Sequential Entropy Difference Test for rGLO Models*


---

### Description

Performs the sequential entropy difference (ED) test for selecting the number of order statistics in the  $r$ -largest generalized logistic distribution (rGLO) model.

### Usage

```
rgloEdtest(data, par = NULL)
```

### Arguments

data	A numeric matrix or data frame containing the $r$ -largest order statistics. Each row represents one observation (or block), and columns must be ordered from largest to smallest.
par	An optional numeric vector of length 3 giving the location, scale, and shape parameters. If NULL, parameters are estimated separately at each value of $r$ using <a href="#">rgloEd</a> .

### Details

The procedure computes ED tests sequentially for  $r = 2, \dots, R$  and applies the ForwardStop and StrongStop stopping rules to control the false discovery rate.

The function sequentially applies the entropy difference test ([rgloEd](#)) for increasing values of  $r$ . The resulting p-values are adjusted using the ForwardStop and StrongStop procedures to help determine an appropriate value of  $r$ .

### Value

A data frame containing:

- r: value of  $r$  tested
- p.values: raw p-values from the entropy difference tests
- statistic: test statistics for each value of  $r$
- est.loc: estimated location parameter
- est.scale: estimated scale parameter
- est.shape: estimated shape parameter
- ybar: mean entropy difference
- ForwardStop: adjusted values from the ForwardStop rule
- StrongStop: adjusted values from the StrongStop rule

## References

- Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157
- Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973
- Shin, Y., & Park, J-S. (2024). Generalized logistic model for  $r$ -largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

## See Also

[rgloEd](#), [rglo.fit](#)

## Examples

```
x <- rglor(n=50, r=3, loc = 10, scale = 2, shape = 0.1)
rgloEdtest(x$rmat)

data(bangkok)
rgloEdtest(bangkok)
```

---

rgloLh

*Log-Likelihood Contributions for the rGLO Model*

---

## Description

Computes the observation-wise log-likelihood contributions for the  $r$ -largest generalized logistic distribution (rGLO) model.

## Usage

```
rgloLh(data, par)
```

## Arguments

data	A numeric vector, matrix, or data frame of observations. If a vector is supplied, it is treated as a one-column matrix. If a matrix or data frame is supplied, each row is treated as one observation and columns represent decreasing order statistics.
par	A numeric vector of length 3 giving the location, scale, and shape parameters, respectively.

## Details

This function is mainly intended for internal likelihood evaluation. Invalid parameter combinations return Inf, which is often more robust than stopping with an error when used inside iterative procedures.

**Value**

A numeric vector of log-likelihood contributions, one for each row of data. If the parameter combination is invalid, the function returns Inf.

**References**

Ahmad, M. I., Sinclair, C. D., and Werritty, A. (1988). Log-logistic flood frequency analysis. *Journal of Hydrology*. doi:10.1016/00221694(88)900157

Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.

Shin, Y., & Park, J-S. (2024). Generalized logistic model for  $r$ -largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

**Examples**

```
x <- rglor(n=50, r=3, loc = 10, scale = 2, shape = 0.1)
fit <- rglo.fit(x$rmat, num_inits = 5)
rgloLh(data=fit$data,par=fit$mle)
```

---

 rglor

*Random Generation from the Generalized Logistic Distribution for  $r$ -Largest Order Statistics*

---

**Description**

Generates random samples from the generalized logistic distribution for  $r$ -largest order statistics.

**Usage**

```
rglor(n, r, loc = 0, scale = 1, shape = 0.1)
```

**Arguments**

n	A positive integer specifying the number of observations.
r	A positive integer specifying the number of order statistics for each observation.
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.
shape	A numeric value specifying the shape parameter.

**Details**

The function first generates independent uniform random variables and then constructs decreasing variables through recursive transformations. These are transformed using the generalized logistic quantile function [qglo](#).

**Value**

A list with components:

umat	An $n \times r$ matrix of independent uniform random numbers.
wmat	An $n \times r$ matrix of transformed uniform variables used to construct decreasing order statistics.
rmat	An $n \times r$ matrix of simulated $r$ -largest order statistics from the generalized logistic distribution.

**References**

- Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J-S. (2024). Generalized logistic model for  $r$ -largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

**Examples**

```
x <- rglor(10, 3, loc = 0, scale = 1, shape = 0.1)
x$rmat
```

---

rk4d.fit	<i>Fit the Four-Parameter Kappa Distribution to <math>r</math>-Largest Order Statistics</i>
----------	---

---

**Description**

Fits the four-parameter kappa distribution to  $r$ -largest order statistics using maximum likelihood estimation. Stationary and non-stationary models are supported through generalized linear modelling of the location, scale, and two shape parameters.

**Usage**

```
rk4d.fit(
  xdat,
  r = NULL,
  penk = NULL,
  penh = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  shl = NULL,
  hl = NULL,
  mulink = identity,
```

```

siglink = identity,
shlink = identity,
hlink = identity,
num_inits = 100,
munit = NULL,
siginit = NULL,
shinit = NULL,
hinit = NULL,
show = TRUE,
method = "Nelder-Mead",
maxit = 10000,
...
)

```

### Arguments

xdat	A numeric vector, matrix, or data frame of observations. Each row should contain decreasing order statistics for a given year or block. The first column therefore contains block maxima. Only the first <i>r</i> columns are used in the fitted model. If <i>r</i> is NULL, all available columns are used.
r	The number of largest order statistics to use in the fitted model. If NULL, all columns of xdat are used.
penk	Optional penalty for the first shape parameter. Supported values include "CD" and "MS".
penh	Optional penalty for the second shape parameter. Supported values include "MS" and "MSa".
ydat	A matrix or data frame of covariates for non-stationary modelling of the parameters, or NULL for a stationary model. The number of rows must match the number of rows of xdat.
mul, sigl, shl, hl	Integer vectors indicating which columns of ydat are used as covariates for the location, scale, first shape, and second shape parameters, respectively.
mulink, siglink, shlink, hlink	Inverse link functions for the location, scale, first shape, and second shape parameters, respectively.
num_inits	The number of initial parameter sets used in the optimization.
munit, siginit, shinit, hinit	Numeric vectors giving initial values for the location, scale, first shape, and second shape parameters. If NULL, default initial values based on L-moments are used.
show	Logical. If TRUE, details of the fitted model are printed.
method	Optimization method passed to <code>optim</code> for stationary fits.
maxit	Maximum number of iterations for <code>optim</code> .
...	Additional control arguments passed to the optimizer.

**Value**

A list with components including:

trans	Logical; TRUE if a non-stationary model is fitted.
model	A list containing mul, sigl, shl, and hl.
link	A character vector describing the inverse link functions.
conv	The convergence code returned by the optimizer.
nllh	The negative log-likelihood evaluated at the fitted parameters.
data	The data used in the fit.
mle	The maximum likelihood estimates.
cov	The estimated covariance matrix when available.
se	The estimated standard errors when available.
vals	A matrix containing fitted values of the location, scale, first shape, and second shape parameters at each observation.
r	The number of order statistics used in the fitted model.

**References**

- Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.
- Martins, E. S., & Stedinger, J. R. (2000). Generalized maximum-likelihood generalized extreme-value quantile estimators for hydrologic data. *Water Resources Research*, 36(3), 737–744. doi:10.1029/1999WR900330
- Coles, S., & Dixon, M. (1999). Likelihood-based inference for extreme value models. *Extremes*, 2(1), 5–23. doi:10.1023/A:1009905222644
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for r-largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

**See Also**

[optim](#)

**Examples**

```
x <- rk4dr(n = 50, r = 2, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
fit <- rk4d.fit(x$mat, num_inits = 5)
```

---

`rk4d.prof`*Profile Likelihood for Return Levels under the rK4D Model*

---

### Description

Computes and plots the profile log-likelihood for a return level under a stationary r-largest four-parameter kappa distribution (rK4D) model fitted by [rk4d.fit](#).

### Usage

```
rk4d.prof(z, m, xlow, xup, conf = 0.95, nint = 100)
```

### Arguments

<code>z</code>	An object returned by <a href="#">rk4d.fit</a> . The fitted model must represent a stationary model.
<code>m</code>	A return period greater than 1. The profile likelihood is computed for the corresponding return level exceeded with probability $1/m$ .
<code>xlow, xup</code>	Lower and upper bounds of the return level grid over which the profile likelihood is evaluated.
<code>conf</code>	A numeric vector of confidence levels for profile likelihood confidence intervals.
<code>nint</code>	The number of grid points used to evaluate the profile likelihood.

### Details

The function evaluates the profile log-likelihood over a grid of return level values and plots the resulting curve. Horizontal and vertical lines are added to indicate profile likelihood confidence intervals for the confidence levels specified in `conf`.

### Value

A data frame containing the return period, estimated return level, confidence level, lower confidence limit, upper confidence limit, and interval width. A profile likelihood plot is also produced.

### References

- Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for r-largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

### See Also

[rk4d.fit](#), [rk4d.rl](#)

**Examples**

```
x <- rk4dr(n = 50, r = 2, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
fit <- rk4d.fit(x$rmat, num_inits = 100)
rk4d.prof(fit, m = 100, xlow = 12, xup = 25)
```

rk4d.rl

*Return Levels for the Four-Parameter Kappa Distribution***Description**

Computes return levels and their standard errors for a stationary four-parameter kappa model fitted by `rk4d.fit`.

**Usage**

```
rk4d.rl(z, year = c(20, 50, 100, 200), show = TRUE)
```

**Arguments**

<code>z</code>	An object returned by <code>rk4d.fit</code> . The fitted model should represent a stationary model.
<code>year</code>	A numeric vector of return periods for which return levels are to be computed.
<code>show</code>	Logical. If TRUE, the estimated return levels and their standard errors are printed.

**Details**

For a return period  $T$ , the return level is defined as the quantile exceeded with probability  $1/T$ . Under the four-parameter kappa distribution, the return level is

$$x_T = \mu + \frac{\sigma}{\xi} - \frac{\sigma}{\xi} \left( \frac{1 - (1 - 1/T)^h}{h} \right)^\xi,$$

and standard errors are obtained using the delta method.

**Value**

The input object `z` with two additional components:

- `rl`: a numeric vector of estimated return levels
- `rlse`: a numeric vector of standard errors of the estimated return levels

## References

- Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973
- Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for  $r$ -largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

## See Also

[rk4d.fit](#), [rk4d.prof](#)

## Examples

```
x <- rk4dr(n = 50, r = 2, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
fit <- rk4d.fit(x$mat, num_inits = 5)
out <- rk4d.rl(fit, year = c(20, 50, 100, 200))
```

---

rk4d.summary

*Summary of Fitted rK4D Models over Different Values of r*

---

## Description

Summarizes fitted four-parameter kappa distribution models for  $r$ -largest order statistics over  $r = 1, \dots, R$ . For each value of  $r$ , the function fits the model using [rk4d.fit](#) and computes return levels using [rk4d.rl](#).

## Usage

```
rk4d.summary(
  data,
  r = NULL,
  penk = NULL,
  penh = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  shl = NULL,
  hl = NULL,
  mulink = identity,
  siglink = identity,
  shlink = identity,
  hlink = identity,
  num_inits = 100,
  munit = NULL,
```

```

    siginit = NULL,
    shinit = NULL,
    hinit = NULL,
    show = FALSE,
    method = "Nelder-Mead",
    maxit = 10000,
    ...
)

```

## Arguments

<code>data</code>	A numeric vector, matrix, or data frame containing the $r$ -largest order statistics. Each row should contain decreasing order statistics for one block or time period.
<code>r</code>	Optional integer giving the maximum number of order statistics to summarize. If <code>NULL</code> , all available columns are used.
<code>penk</code>	Penalty function for the $\xi_i$ parameter in maximum penalized likelihood estimation.
<code>penh</code>	Penalty function for the $h$ parameter in maximum penalized likelihood estimation.
<code>ydat</code>	A matrix or data frame of covariates for generalized linear modelling of the parameters, or <code>NULL</code> for stationary fitting.
<code>mul, sigl, shl, hl</code>	Integer vectors indicating which columns of <code>ydat</code> are used for the location, scale, first shape, and second shape parameters, respectively.
<code>mulink, siglink, shlink, hlink</code>	Inverse link functions for the location, scale, first shape, and second shape parameters, respectively.
<code>num_inits</code>	Number of initial parameter sets used in optimization.
<code>muinit, siginit, shinit, hinit</code>	Optional initial values for the location, scale, first shape, and second shape parameters.
<code>show</code>	Logical. If <code>TRUE</code> , print details from model fitting.
<code>method</code>	Optimization method passed to <code>optim</code> .
<code>maxit</code>	Maximum number of iterations for optimization.
<code>...</code>	Additional arguments passed to <code>rk4d.fit</code> .

## Value

A data frame containing:

- `r`: number of order statistics used
- `nllh`: negative log-likelihood
- `mu, sigma, xi, h`: parameter estimates
- `mu.se, sigma.se, xi.se, h.se`: standard errors
- `r120, r150, r1100, r1200`: return levels
- `r120.se, r150.se, r1100.se, r1200.se`: standard errors of return levels

## References

- Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973
- Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for  $r$ -largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

## Examples

```
x <- rk4dr(n = 50, r = 3, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
rk4d.summary(x$rmat, num_inits = 5)
# penalty function
rk4d.summary(x$rmat, penk = "CD", penh = "MS", num_inits = 5)
```

---

 rk4dEd

*Entropy Difference Test for rK4D Models*


---

## Description

Performs the entropy difference (ED) test for selecting the number of order statistics in the  $r$ -largest four-parameter kappa distribution (rK4D) model.

## Usage

```
rk4dEd(data)
```

## Arguments

data	A numeric matrix or data frame containing the $r$ -largest order statistics. Each row represents one block or observation, and columns must be ordered from largest to smallest.
------	--

## Details

The test compares the entropy of models fitted with  $r$  and  $r - 1$  order statistics and evaluates whether the additional order statistic provides significant information.

This function fits the rK4D model using `rk4d.fit` and then computes the entropy difference test statistic by comparing the fitted likelihood contributions from models with  $r$  and  $r - 1$  order statistics.

**Value**

A list containing:

- `statistics`: the entropy difference test statistic
- `p.value`: the two-sided p-value
- `theta`: the estimated parameter vector of the rK4D model
- `ybar`: the sample mean entropy difference

**References**

Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973

Shin, Y., Park, J.-S., and coauthors (2023). Modeling climate extremes using the four-parameter kappa distribution for  $r$ -largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

**See Also**

[rk4d.fit](#), [rk4dLh](#)

**Examples**

```
x <- rk4dr(n=50, r=2, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
rk4dEd(x$rmat)
```

---

rk4dEdtest

*Sequential Entropy Difference Test for rK4D Models*

---

**Description**

Performs the sequential entropy difference (ED) test for selecting the number of order statistics in the  $r$ -largest four-parameter kappa distribution (rK4D) model.

**Usage**

```
rk4dEdtest(data)
```

**Arguments**

`data` A numeric matrix or data frame containing the  $r$ -largest order statistics. Each row represents one observation (or block), and columns must be ordered from largest to smallest.

## Details

The procedure computes ED tests sequentially for  $r = 2, \dots, R$  and applies the ForwardStop and StrongStop stopping rules to control the false discovery rate.

The function sequentially applies the entropy difference test ([rk4dEd](#)) for increasing values of  $r$ . The resulting p-values are adjusted using the ForwardStop and StrongStop procedures to help determine an appropriate value of  $r$ .

## Value

A data frame containing:

- `r`: value of  $r$  tested
- `p.values`: raw p-values from the entropy difference tests
- `statistic`: test statistics for each value of  $r$
- `est.loc`: estimated location parameter
- `est.scale`: estimated scale parameter
- `est.shape1`: estimated first shape parameter
- `est.shape2`: estimated second shape parameter
- `ybar`: mean entropy difference
- `ForwardStop`: adjusted values from the ForwardStop rule
- `StrongStop`: adjusted values from the StrongStop rule

## References

Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.

Coles, S. (2001). An Introduction to Statistical Modeling of Extreme Values. Springer.

Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973

Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for  $r$ -largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

## See Also

[rk4dEd](#), [rk4d.fit](#)

## Examples

```
x <- rk4dr(n=50, r=2, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
rk4dEdtest(x$rmat)

data(bangkok)
rk4dEdtest(bangkok)
```

---

rk4dLh

*Log-Likelihood Contributions for the rK4D Model*

---

## Description

Computes the observation-wise log-likelihood contributions for the r-largest four-parameter kappa distribution (rK4D) model.

## Usage

```
rk4dLh(data, par)
```

## Arguments

data	A numeric vector, matrix, or data frame of observations. If a vector is supplied, it is treated as a one-column matrix. If a matrix or data frame is supplied, each row is treated as one observation and columns represent decreasing order statistics.
par	A numeric vector of length 4 giving the location, scale, first shape, and second shape parameters.

## Value

A numeric vector of log-likelihood contributions for each row of data. If invalid parameter combinations occur, the function returns a large penalty value.

## References

Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.

Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.

Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for r-largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

## Examples

```
x <- rk4dr(n=50, r=3, loc = 10, scale = 2, shape1 = 0.1, shape2 = 0.1)
fit <- rk4d.fit(x$rmat, num_inits = 5)
rk4dLh(data=fit$data,par=fit$mle)
```

---

rk4dr	<i>Random Generation from the Four-Parameter Kappa Distribution for <math>r</math>-Largest Order Statistics</i>
-------	---

---

### Description

Generates random samples from the four-parameter kappa distribution for  $r$ -largest order statistics.

### Usage

```
rk4dr(n, r, loc = 0, scale = 1, shape1 = 0.1, shape2 = 0.1)
```

### Arguments

n	A positive integer specifying the number of observations.
r	A positive integer specifying the number of order statistics for each observation.
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.
shape1	A numeric value specifying the first shape parameter.
shape2	A numeric value specifying the second shape parameter.

### Details

The function first generates independent uniform random variables and then constructs decreasing transformed variables recursively using the second shape parameter. These are transformed by the four-parameter kappa quantile function [qk4d](#).

For valid generation with  $r > 1$ , the second shape parameter should satisfy  $shape2 < 1/(r - 1)$ .

### Value

A list with components:

- `umat`: an  $n \times r$  matrix of independent uniform random numbers
- `wmat`: an  $n \times r$  matrix of transformed uniform variables
- `rmat`: an  $n \times r$  matrix of simulated  $r$ -largest order statistics

### References

- Hosking, J. R. M. (1994). The four-parameter kappa distribution. *IBM Journal of Research and Development*, 38(3), 251–258.
- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973
- Shin, Y., & Park, J.-S. (2023). Modeling climate extremes using the four-parameter kappa distribution for  $r$ -largest order statistics. *Weather and Climate Extremes*. doi:10.1016/j.wace.2022.100533

**Examples**

```
x <- rk4dr(n=50, r=3, loc = 0, scale = 1, shape1 = 0.1, shape2 = 0.1)
x$rmat
```

---

rld.fit

*Fit the Logistic Distribution to r-Largest Order Statistics*


---

**Description**

Fits the logistic distribution to  $r$ -largest order statistics using maximum likelihood estimation. Stationary and non-stationary models are supported through generalized linear modelling of the location and scale parameters.

**Usage**

```
rld.fit(
  xdat,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  mulink = identity,
  siglink = identity,
  num_inits = 100,
  muinit = NULL,
  siginit = NULL,
  show = TRUE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

xdat	A numeric vector, matrix, or data frame of observations. Each row should contain decreasing order statistics for a given year or block. The first column therefore contains block maxima. Only the first $r$ columns are used in the fitted model. If $r$ is NULL, all available columns are used.
r	The number of largest order statistics to use in the fitted model. If NULL, all columns of xdat are used.
ydat	A matrix or data frame of covariates for non-stationary modelling of the parameters, or NULL for a stationary model. The number of rows must match the number of rows of xdat.
mul, sigl	Integer vectors indicating which columns of ydat are used as covariates for the location and scale parameters, respectively.

mulink, siglink	Inverse link functions for the location and scale parameters, respectively.
num_inits	The number of initial parameter sets used in the optimization.
muinit, siginit	Numeric vectors giving initial values for the location and scale parameters. If NULL, default initial values based on L-moments are used.
show	Logical. If TRUE, details of the fitted model are printed.
method	Optimization method passed to <code>optim</code> for stationary fits.
maxit	Maximum number of iterations for <code>optim</code> .
...	Additional control arguments passed to the optimizer.

### Value

A list with components including:

- `trans`: logical; TRUE if a non-stationary model is fitted
- `model`: a list containing `mul` and `sigl`
- `link`: a character vector describing the inverse link functions
- `conv`: the convergence code returned by the optimizer
- `nllh`: the negative log-likelihood evaluated at the fitted parameters
- `data`: the data used in the fit
- `mle`: the maximum likelihood estimates
- `cov`: the estimated covariance matrix when available
- `se`: the estimated standard errors when available
- `vals`: a matrix containing fitted values of the location and scale
- `r`: the number of order statistics used in the fitted model

### References

Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.

Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

### See Also

`optim`

### Examples

```
x <- rldr(n = 50, r = 3, loc = 10, scale = 2)
fit <- rld.fit(x$rmat, num_inits = 5)
```

rld.prof

*Profile Likelihood for Return Levels under the rLD Model***Description**

Computes and plots the profile log-likelihood for a return level under a stationary r-largest logistic distribution (rLD) model fitted by `rld.fit`.

**Usage**

```
rld.prof(z, m, xlow, xup, conf = 0.95, nint = 100)
```

**Arguments**

<code>z</code>	An object returned by <code>rld.fit</code> . The fitted model must represent a stationary model.
<code>m</code>	A return period greater than 1. The profile likelihood is computed for the corresponding return level exceeded with probability $1/m$ .
<code>xlow, xup</code>	Lower and upper bounds of the return level grid over which the profile likelihood is evaluated.
<code>conf</code>	A numeric vector of confidence levels for profile likelihood confidence intervals.
<code>nint</code>	The number of grid points used to evaluate the profile likelihood.

**Details**

The function evaluates the profile log-likelihood over a grid of return level values and plots the resulting curve. Horizontal and vertical lines are added to indicate profile likelihood confidence intervals for the confidence levels specified in `conf`.

**Value**

A data frame containing the return period, estimated return level, confidence level, lower confidence limit, upper confidence limit, and interval width. A profile likelihood plot is also produced.

**References**

- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

**See Also**

`rld.fit`, `rld.rl`

**Examples**

```
x <- rldr(n = 50, r = 2, loc = 10, scale = 2)
fit <- rld.fit(x$rmat)
rld.prof(fit, m = 100, xlow = 12, xup = 25)
```

rld.rl

*Return Levels for the Logistic Distribution***Description**

Computes return levels and their standard errors for a stationary logistic model fitted by `rld.fit`.

**Usage**

```
rld.rl(z, year = c(20, 50, 100, 200), show = TRUE)
```

**Arguments**

<code>z</code>	An object returned by <code>rld.fit</code> . The fitted model should represent a stationary model.
<code>year</code>	A numeric vector of return periods for which return levels are to be computed.
<code>show</code>	Logical. If TRUE, the estimated return levels and their standard errors are printed.

**Details**

For a return period  $T$ , the return level is defined as the quantile exceeded with probability  $1/T$ . Under the logistic distribution, the return level is

$$x_T = \mu + \sigma \log \left( \frac{1}{\exp(-\log(1 - 1/T)) - 1} \right),$$

and standard errors are obtained using the delta method.

**Value**

The input object `z` with two additional components:

- `r1`: a numeric vector of estimated return levels
- `r1se`: a numeric vector of standard errors of the estimated return levels

**References**

Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.

Shin, Y., & Park, J-S. (2024). Generalized logistic model for r-largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

**See Also**

[rld.fit](#), [rld.prof](#)

**Examples**

```
x <- rldr(n = 50, r = 2, loc = 10, scale = 2)
fit <- rld.fit(x$rmat, num_inits = 5)
out <- rld.rl(fit, year= c(20, 50, 100, 200))
```

---

rld.summary

*Summary of Fitted rLD Models over Different Values of r*


---

**Description**

Summarizes fitted logistic distribution models for  $r$ -largest order statistics over  $r = 1, \dots, R$ . For each value of  $r$ , the function fits the model using [rld.fit](#) and computes return levels using [rld.rl](#).

**Usage**

```
rld.summary(
  data,
  r = NULL,
  ydat = NULL,
  mul = NULL,
  sigl = NULL,
  mulink = identity,
  siglink = identity,
  num_inits = 100,
  muinit = NULL,
  siginit = NULL,
  show = FALSE,
  method = "Nelder-Mead",
  maxit = 10000,
  ...
)
```

**Arguments**

<code>data</code>	A numeric vector, matrix, or data frame containing the $r$ -largest order statistics. Each row should contain decreasing order statistics for one block or time period.
<code>r</code>	Optional integer giving the maximum number of order statistics to summarize. If <code>NULL</code> , all available columns are used.
<code>ydat</code>	A matrix or data frame of covariates for generalized linear modelling of the parameters, or <code>NULL</code> for stationary fitting.
<code>mul, sigl</code>	Integer vectors indicating which columns of <code>ydat</code> are used for the location and scale parameters, respectively.

mulink, siglink	Inverse link functions for the location and scale parameters, respectively.
num_inits	Number of initial parameter sets used in optimization.
muinit, siginit	Optional initial values for the location and scale parameters.
show	Logical. If TRUE, print details from model fitting.
method	Optimization method passed to <code>optim</code> .
maxit	Maximum number of iterations for optimization.
...	Additional arguments passed to <code>rld.fit</code> .

### Value

A data frame containing:

- `r`: number of order statistics used
- `nllh`: negative log-likelihood
- `mu`, `sigma`: parameter estimates
- `mu.se`, `sigma.se`: standard errors
- `r120`, `r150`, `r1100`, `r1200`: return levels
- `r120.se`, `r150.se`, `r1100.se`, `r1200.se`: standard errors of return levels

### References

Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.

Shin, Y., & Park, J-S. (2024). Generalized logistic model for  $r$ -largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

### Examples

```
x <- rldr(n = 50, r = 2, loc = 10, scale = 2)
rld.summary(x$mat, num_inits = 5)
```

---

rldr	<i>Random Generation from the Logistic Distribution for <math>r</math>-Largest Order Statistics</i>
------	---

---

### Description

Generates random samples from the logistic distribution for  $r$ -largest order statistics.

### Usage

```
rldr(n, r, loc = 0, scale = 1)
```

**Arguments**

n	A positive integer specifying the number of observations.
r	A positive integer specifying the number of order statistics for each observation.
loc	A numeric value specifying the location parameter.
scale	A positive numeric value specifying the scale parameter.

**Details**

The function first generates independent uniform random variables and then constructs decreasing transformed variables recursively. These are transformed by the logistic quantile function [qld](#).

**Value**

A list with components:

- `umat`: an  $n \times r$  matrix of independent uniform random numbers
- `wmat`: an  $n \times r$  matrix of transformed uniform variables
- `rmat`: an  $n \times r$  matrix of simulated  $r$ -largest order statistics

**References**

- Coles, S. (2001). *An Introduction to Statistical Modeling of Extreme Values*. Springer.
- Bader, B., Yan, J., & Zhang, X. (2017). Automated selection of  $r$  for the  $r$ -largest order statistics approach. *Statistics and Computing*. doi:10.1007/s1122201696973
- Shin, Y., & Park, J-S. (2024). Generalized logistic model for  $r$ -largest order statistics with hydrological application. *Stochastic Environmental Research and Risk Assessment*. doi:10.1007/s00477-023026427

**Examples**

```
x <- rldr(n=50, r=3, loc = 0, scale = 1)
x$rmat
```

# Index

## \* datasets

- bangkok, 3
- bevern, 4
- oykel, 6
  
- bangkok, 3
- bevern, 4
  
- evmr, 5
  
- optim, 12, 13, 16, 18, 19, 22, 25, 27, 28, 32, 38, 39, 43, 50, 54
- oykel, 6
  
- qgd, 7, 16
- qggd, 7, 26
- qglo, 8, 36
- qk4d, 9, 48
- qld, 10, 55
  
- rgd.fit, 11, 13–16
- rgd.prof, 13, 14
- rgd.rl, 14, 14, 15
- rgd.summary, 15
- rgdr, 16
- rggd.fit, 17, 19–22, 24
- rggd.prof, 19, 20
- rggd.rl, 19, 20, 21
- rggd.summary, 21
- rggdEd, 22, 23, 24
- rggdEdtest, 23
- rggdLh, 24
- rggdr, 25
- rglo.fit, 26, 28–33, 35
- rglo.prof, 28, 30
- rglo.rl, 29, 29, 31
- rglo.summary, 31
- rgloEd, 32, 34, 35
- rgloEdtest, 34
- rgloLh, 33, 35
- rglor, 36
  
- rk4d.fit, 37, 40–46
- rk4d.prof, 40, 42
- rk4d.rl, 40, 41, 42
- rk4d.summary, 42
- rk4dEd, 44, 46
- rk4dEdtest, 45
- rk4dLh, 45, 47
- rk4dr, 48
- rld.fit, 49, 51–54
- rld.prof, 51, 53
- rld.rl, 51, 52, 53
- rld.summary, 53
- rldr, 54