

Package ‘ksformat’

March 25, 2026

Type Package

Title 'SAS'-Style 'PROC FORMAT' for R

Version 0.3.5

Author Vladimir Larchenko [aut, cre]

Maintainer Vladimir Larchenko <vladimir.larchenko@keystatsolutions.com>

Description Provides 'SAS' 'PROC FORMAT'-like functionality for creating and applying value formats in R. Supports mapping values to labels, range-based formatting, reverse formatting (invalue), and proper handling of missing values (NA, NULL, NaN).

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.3

Imports cli

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2026-03-25 21:00:10 UTC

Contents

ksformat-package	2
fclear	3
fexport	4
fimport	5
finput	6
finputc	7
finputn	8
fnew	9
fnew_bid	10
fnew_date	11
format_get	13

fparse	14
fprint	16
fput	17
fputc	18
fputn	19
fput_all	20
fput_df	21
is_missing	23
ksformat_cheatsheet	23
print.ks_format	24
print.ks_invalue	24
range_spec	25
Index	26

ksformat-package	<i>ksformat: 'SAS'-Style 'PROC FORMAT' for R</i>
------------------	--

Description

Provides 'SAS' 'PROC FORMAT'-like functionality for creating and applying value formats in R. The package supports mapping values to labels, range-based formatting, reverse formatting (invalue), and proper handling of missing values (NA, NULL, NaN).

Details

Main features:

- Create value-to-label mappings (formats) with [fnew](#)
- Apply formats to vectors using [fput](#)
- Apply formats by name: [fputn](#) (numeric), [fputc](#) (character)
- Reverse formatting with [finput](#), [finputn](#), [finputc](#)
- Apply invalues by name: [finputn](#) (numeric), [finputc](#) (character)
- Parse 'SAS'-like format definitions from text with [fparse](#)
- Global format library with auto-registration
- Range-based formatting for numeric data

Cheat sheet: run [ksformat_cheatsheet\(\)](#) to open the HTML version in your browser, or see the files in `system.file("doc", package = "ksformat")`.

Author(s)

Maintainer: Vladimir Larchenko <vladimir.larchenko@keystatsolutions.com>

Examples

```
fnew("M" = "Male", "F" = "Female", .missing = "Unknown", name = "sex")
fput(c("M", "F", NA), "sex")

fparse(text = '
VALUE age (numeric)
  [0, 18) = "Child"
  [18, 65) = "Adult"
;
')
fputn(c(5, 25), "age")
fclear()
```

fclear

Remove Format(s) from Library

Description

Removes one or all formats from the global format library. When called without arguments, clears all formats. When called with a name, removes only that format.

Usage

```
fclear(name = NULL)
```

Arguments

name	Character. Optional name of a specific format to remove. If NULL (default), removes all formats.
------	--

Value

Invisible NULL

Examples

```
fnew("M" = "Male", "F" = "Female", name = "sex")
fclear("sex") # remove one format
fclear()     # remove all formats
```

 fexport

Export Formats to 'SAS'-like Text

Description

Converts ks_format and/or ks_invalue objects to human-readable 'SAS'-like text representation.

Usage

```
fexport(..., formats = NULL, file = NULL)
```

Arguments

...	Named ks_format or ks_invalue objects to export.
formats	A named list of format objects. Alternative to ...
file	Optional file path to write the output to. If NULL, returns the text as a character string.

Value

If file is NULL, returns a character string with the 'SAS'-like text. If file is specified, writes to the file and returns the path invisibly.

Examples

```
# Export a character format
sex_fmt <- fnew("M" = "Male", "F" = "Female",
              .missing = "Unknown", name = "sex")
cat(fexport(sex = sex_fmt))

# Export a numeric range format
fparse(text = '
VALUE bmi (numeric)
  [0, 18.5) = "Underweight"
  [18.5, 25) = "Normal"
  [25, 30) = "Overweight"
  [30, HIGH] = "Obese"
  .missing = "No data"
;
')
bmi_fmt <- format_get("bmi")
cat(fexport(bmi = bmi_fmt))

# Export a multilabel format
risk_fmt <- fnew(
  "0,3,TRUE,TRUE" = "Low Risk",
  "0,7,TRUE,TRUE" = "Monitored",
  "3,7,FALSE,TRUE" = "Medium Risk",
  "7,10,FALSE,TRUE" = "High Risk",
```

```

    name = "risk", type = "numeric", multilabel = TRUE
  )
  cat(fexport(risk = risk_fmt))

# Export a date format
enrl_fmt <- fnew_date("DATE9.", name = "enrldt", .missing = "Not Enrolled")
cat(fexport(enrldt = enrl_fmt))
fclear()

```

fimport

*Import Formats from 'SAS' PROC FORMAT CNTLOUT CSV***Description**

Reads a CSV file produced by 'SAS' PROC FORMAT with CNTLOUT= option (typically exported via PROC EXPORT) and converts compatible format definitions into ks_format and ks_invalue objects.

Usage

```
fimport(file, register = TRUE, overwrite = TRUE)
```

Arguments

file	Path to the CSV file exported from a SAS format catalogue.
register	Logical; if TRUE (default), each imported format is registered in the global format library.
overwrite	Logical; if TRUE (default), existing library entries with the same name are overwritten.

Details

The 'SAS' format catalogue CSV is expected to contain the standard CNTLOUT columns: FMTNAME, START, END, LABEL, TYPE, HLO, SEXCL, EEXCL.

Supported SAS format types:

N Numeric VALUE format → ks_format with type = "numeric"
 C Character VALUE format → ks_format with type = "character"
 I Numeric INVALUE (informat) → ks_invalue with target_type = "numeric"
 J Character INVALUE (informat) → ks_invalue with target_type = "character"

Incompatible types (logged with a warning):

P PICTURE formats – no equivalent in ksformat

Rows with SAS special missing values (.A–.Z, ._) in the HLO field are logged as incompatible entries and skipped because R has no equivalent concept.

Value

A named list of `ks_format` and `ks_invalue` objects that were successfully imported. Returned invisibly.

Examples

```
# In SAS:
# proc format library=work cntlout=fmts; run;
# proc export data=fmts outfile="formats.csv" dbms=csv replace; run;

csv_file <- system.file("extdata", "test_cntlout.csv", package = "ksformat")
imported <- fimport(csv_file)
fprint()
fclear()
```

finput

Create Invalue Format (Reverse Formatting like 'SAS' INVALUE)

Description

Creates an invalue format that converts formatted labels back to values. This is similar to 'SAS' PROC FORMAT with INVALUE statement. The invalue is automatically stored in the global format library if name is provided.

Usage

```
finput(..., name = NULL, target_type = "numeric", missing_value = NA)
```

Arguments

...	Named arguments defining label-value mappings (reverse of fnew). Example: "Male" = 1, "Female" = 2.
name	Character. Optional name for the invalue format. If provided, the invalue is automatically registered in the global format library.
target_type	Character. Type to convert to: "numeric" (default), "integer", "character", or "logical". INVALUE formats produce numeric output by default; character-to-character conversion should use a regular VALUE format (fnew) instead.
missing_value	Value to use for missing inputs (default: NA)

Value

An object of class "ks_invalue" containing the invalue definition. The object is also stored in the format library if name is given.

Examples

```
# Convert text labels to numeric codes
finput(
  "Male" = 1,
  "Female" = 2,
  name = "sex_inv"
)

# Apply using finputn (numeric invalue by name)
finputn(c("Male", "Female", "Unknown"), "sex_inv")
# [1] 1 2 NA
fclear()
```

finputc

Apply Character Invalue by Name (like 'SAS' INPUTC)

Description

Looks up an INVALUE format by name from the global format library and applies it to convert labels to character values.

Usage

```
finputc(x, invalue_name)
```

Arguments

x Character vector of labels to convert
invalue_name Character. Name of a registered INVALUE format.

Value

Character vector

Examples

```
# Bidirectional: use finputc for reverse direction
fnew_bid(
  "A" = "Active",
  "I" = "Inactive",
  "P" = "Pending",
  name = "status"
)

# Forward: code -> label
fputc(c("A", "I", "P"), "status")
# [1] "Active" "Inactive" "Pending"

# Reverse: label -> code
```

```
finputc(c("Active", "Pending", "Inactive"), "status_inv")
# [1] "A" "P" "I"
fclear()
```

finputn	<i>Apply Numeric Invalue by Name (like 'SAS' INPUTN)</i>
---------	--

Description

Looks up a numeric INVALUE format by name from the global format library and applies it to convert labels to numeric values.

Usage

```
finputn(x, invalue_name)
```

Arguments

x	Character vector of labels to convert
invalue_name	Character. Name of a registered INVALUE format.

Value

Numeric vector

Examples

```
# Create numeric invalue and apply
finput(
  "Male" = 1,
  "Female" = 2,
  name = "sex_inv"
)
finputn(c("Male", "Female", "Male", "Unknown", "Female"), "sex_inv")
# [1] 1 2 1 NA 2
fclear()
```

```
# Parse invalue from text and apply
fparse(text = '
INVALUE race_inv
  "White" = 1
  "Black" = 2
  "Asian" = 3
;
')
finputn(c("White", "Black"), "race_inv")
# [1] 1 2
fclear()
```

fnew	<i>Create a Format Definition (like 'SAS' PROC FORMAT)</i>
------	--

Description

Creates a format object that maps values to labels, similar to 'SAS' PROC FORMAT. Supports discrete value mapping, ranges, and special handling of missing values. The format is automatically stored in the global format library if name is provided.

Usage

```
fnew(
  ...,
  name = NULL,
  type = "auto",
  default = NULL,
  multilabel = FALSE,
  ignore_case = FALSE
)
```

Arguments

...	Named arguments defining value-label mappings. Can be: <ul style="list-style-type: none"> • Discrete values: "M" = "Male", "F" = "Female" • Special values: .missing = "Missing", .other = "Other"
name	Character. Optional name for the format. If provided, the format is automatically registered in the global format library.
type	Character. Type of format: "character", "numeric", or "auto" (default) for auto-detection.
default	Character. Default label for unmatched values (overrides .other)
multilabel	Logical. If TRUE, the format supports overlapping ranges where a single value can match multiple labels. Used with <code>fput_all</code> to retrieve all matching labels. Default FALSE.
ignore_case	Logical. If TRUE, key matching for character formats is case-insensitive. Default FALSE.

Details

Special directives:

- .missing: Label for NA, NULL, NaN values
- .other: Label for values not matching any rule

Expression labels: If a label contains .x1, .x2, etc., it is treated as an R expression that is evaluated at apply-time. Extra arguments are passed positionally via ... in `fput`:

```
stat_fmt <- fnew("n" = "sprintf('%s', .x1)",
               "pct" = "sprintf('%.1f%%', .x1 * 100)")
fput(c("n", "pct"), stat_fmt, c(42, 0.15))
# Returns: "42" "15.0%"
```

Value

An object of class "ks_format" containing the format definition. The object is also stored in the format library if name is given.

Examples

```
# Discrete value format (auto-stored as "sex")
fnew(
  "M" = "Male",
  "F" = "Female",
  .missing = "Unknown",
  .other = "Other Gender",
  name = "sex"
)

# Apply immediately
fput(c("M", "F", NA, "X"), "sex")
# [1] "Male" "Female" "Unknown" "Other Gender"
fclear()

# Multilabel format: a value can match multiple labels
fnew(
  "0,5,TRUE,TRUE" = "Infant",
  "6,11,TRUE,TRUE" = "Child",
  "12,17,TRUE,TRUE" = "Adolescent",
  "0,17,TRUE,TRUE" = "Pediatric",
  "18,64,TRUE,TRUE" = "Adult",
  "65,Inf,TRUE,TRUE" = "Elderly",
  "18,Inf,TRUE,TRUE" = "Non-Pediatric",
  name = "age_categories",
  type = "numeric",
  multilabel = TRUE
)

# fput returns first match; fput_all returns all matches
fput(c(3, 14, 25, 70), "age_categories")
fput_all(c(3, 14, 25, 70), "age_categories")
fclear()
```

Description

Creates both a format and its corresponding invalue for bidirectional conversion. Both are automatically stored in the global format library if name is provided.

Usage

```
fnew_bid(..., name = NULL, type = "auto")
```

Arguments

...	Named arguments for format mappings
name	Character. Base name for both formats. The invalue will be named <code>paste0(name, "_inv")</code> .
type	Character. Format type

Value

List with format (`ks_format`) and invalue (`ks_invalue`) components.

Examples

```
# Bidirectional status format
status_bi <- fnew_bid(
  "A" = "Active",
  "I" = "Inactive",
  "P" = "Pending",
  name = "status"
)

# Forward: code -> label
fputc(c("A", "I", "P", "A"), "status")
# [1] "Active" "Inactive" "Pending" "Active"

# Reverse: label -> code
finputc(c("Active", "Pending", "Inactive"), "status_inv")
# [1] "A" "P" "I"
fclear()
```

fnew_date

Create Date/Time Format

Description

Creates a format object for date, time, or datetime values using SAS format names or custom R `strftime` patterns. The format is automatically registered in the global format library.

Usage

```
fnew_date(pattern, name = NULL, type = "auto", .missing = NULL)
```

Arguments

pattern	Character. Either a SAS format name (e.g., "DATE9.", "MMDDYY10.", "TIME8.", "DATETIME20.") or a custom R strftime pattern (e.g., "%Y-%m-%d").
name	Character. Name to register the format under. Defaults to the SAS format name (with period) or the pattern itself.
type	Character. Type of format: "date", "time", "datetime", or "auto" (auto-detect from SAS name). Must be specified for custom strftime patterns.
.missing	Character. Label for missing values (NA). Default NULL.

Details

SAS format names are resolved automatically:

- **Date:** DATE9., DDMMYY10., MMDDYY10., YYMMDD10., MONYY7., YEAR4., WEEK-DATE., WORDDATE., etc.
- **Time:** TIME8., TIME5., HHMM., HOUR., MMSS.
- **Datetime:** DATETIME20., DATETIME13., etc.

Numeric input is converted using R epoch ("1970-01-01"):

- Dates: numeric values are interpreted as days since 1970-01-01
- Datetimes: numeric values are interpreted as seconds since 1970-01-01
- Times: always treated as seconds since midnight

Value

A ks_format object with date/time type, registered in the library.

Examples

```
# Use a SAS format name
fnew_date("DATE9.", name = "mydate")
fput(as.Date("2020-01-01"), "mydate")
# [1] "01JAN2020"

# Use directly without pre-creating
fputn(as.Date("2020-06-15"), "MMDDYY10.")
# [1] "06/15/2020"

# Custom strftime pattern (e.g., Russian style: DD.MM.YYYY)
fnew_date("%d.%m.%Y", name = "ru_date", type = "date")
fput(as.Date(c("1990-03-25", "1985-11-03", "2000-07-14")), "ru_date")

# Custom format with missing value label
fnew_date("MMDDYY10.", name = "us_date", .missing = "NO DATE")
fput(c(as.Date("2025-01-01"), NA, as.Date("2025-12-31")), "us_date")
# [1] "01/01/2025" "NO DATE" "12/31/2025"

# Numeric dates (days since 1970-01-01, R epoch)
```

```
r_days <- as.numeric(as.Date("2025-01-01"))
fputn(r_days, "DATE9.")

# Multiple SAS date formats applied directly
today <- Sys.Date()
fputn(today, "DATE9.")
fputn(today, "MMDDYY10.")
fputn(today, "YYMMDD10.")
fputn(today, "MONYY7.")
fputn(today, "WORDDATE.")
fputn(today, "QTR.")

# Time formatting (seconds since midnight)
fputn(c(0, 3600, 45000, 86399), "TIME8.")
fputn(c(0, 3600, 45000), "HHMM.")

# Datetime formatting
now <- Sys.time()
fputn(now, "DATETIME20.")
fputn(now, "DTDATE.")
fputn(now, "DTYYMMDD.")
fclear()
```

format_get

Retrieve a Format from the Library

Description

Returns a format or invalue object by name. Used when you need the object (e.g. for `fput_df` or `fexport`) rather than applying by name with `fput`, `fputn`, or `fputc`.

Usage

```
format_get(name)
```

Arguments

name Character. Name of a registered format or invalue.

Value

A `ks_format` or `ks_invalue` object.

Examples

```
fnew("M" = "Male", "F" = "Female", name = "sex")
sex_fmt <- format_get("sex")
fput_df(data.frame(sex = c("M", "F")), sex = sex_fmt)
fclear()
```

fparse

*Parse Format Definitions from 'SAS'-like Text***Description**

Reads format definitions written in a human-friendly 'SAS'-like syntax and returns a list of `ks_format` and/or `ks_invalue` objects. All parsed formats are automatically stored in the global format library.

Usage

```
fparse(text = NULL, file = NULL)
```

Arguments

<code>text</code>	Character string or character vector containing format definitions. If a character vector, lines are concatenated with newlines.
<code>file</code>	Path to a text file containing format definitions. Exactly one of <code>text</code> or <code>file</code> must be provided.

Details

The syntax supports two block types:

VALUE blocks define formats (value -> label):

```
VALUE name (type)
  "value1" = "Label 1"
  "value2" = "Label 2"
  [low, high] = "Range Label (half-open)"
  (low, high] = "Range Label (open-low, closed-high)"
  .missing = "Missing Label"
  .other = "Other Label"
;
```

INVALUE blocks define reverse formats (label -> numeric value):

```
INVALUE name
  "Label 1" = 1
  "Label 2" = 2
;
```

Syntax rules:

- Blocks start with `VALUE` or `INVALUE` keyword and end with `;`
- The type in parentheses is optional; defaults to `"auto"` for `VALUE`, `"numeric"` for `INVALUE`
- Values can be quoted or unquoted
- Ranges use interval notation with explicit bounds

- Legacy range syntax low - high is also supported
- Special range keywords: LOW (-Inf) and HIGH (Inf)
- .missing and .other are special directives
- Lines starting with /*, *, //, or # are comments

Value

A named list of ks_format and/or ks_invalue objects. Names correspond to the format names defined in the text. All formats are automatically registered in the global format library.

Examples

```
# Parse multiple format definitions from text
fparse(text = '
VALUE sex (character)
  "M" = "Male"
  "F" = "Female"
  .missing = "Unknown"
;

VALUE age (numeric)
  [0, 18) = "Child"
  [18, 65) = "Adult"
  [65, HIGH] = "Senior"
  .missing = "Age Unknown"
;

// Invalue block
INVALUE race_inv
  "White" = 1
  "Black" = 2
  "Asian" = 3
;
')
```

```
fput(c("M", "F", NA), "sex")
fputn(c(5, 25, 70, NA), "age")
finputn(c("White", "Black"), "race_inv")
fprint()
fclear()
```

```
# Parse date/time/datetime format definitions
fparse(text = '
VALUE enrldt (date)
  pattern = "DATE9."
  .missing = "Not Enrolled"
;

VALUE visit_time (time)
  pattern = "TIME8."
;
')
```

```

VALUE stamp (datetime)
  pattern = "DATETIME20."
;
')

fput(as.Date("2025-03-01"), "enrldt")
fput(36000, "visit_time")
fput(as.POSIXct("2025-03-01 10:00:00", tz = "UTC"), "stamp")
fclear()

# Parse multilabel format
fparse(text = '
VALUE risk (numeric, multilabel)
  [0, 3] = "Low Risk"
  [0, 7] = "Monitored"
  (3, 7] = "Medium Risk"
  (7, 10] = "High Risk"
;
')
fput_all(c(2, 5, 9), "risk")
fclear()

```

fprint

Print Format(s) from Library

Description

Displays format information from the global format library. When called without arguments, lists all registered format names. When called with a name, displays the full definition of that format.

Usage

```
fprint(name = NULL)
```

Arguments

name	Character. Optional name of a specific format to display. If NULL (default), lists all registered formats.
------	--

Value

Invisible NULL. This function is for display only.

Examples

```

fnew("M" = "Male", "F" = "Female", name = "sex")
fprint()      # list all formats
fprint("sex") # show specific format
fclear()

```

fput *Apply Format to Data (like 'SAS' PUT function)*

Description

Applies a format definition to a vector of values, returning formatted labels. Properly handles NA, NULL, NaN, and other missing values.

Usage

```
fput(x, format, ..., keep_na = FALSE)
```

Arguments

x	Vector of values to format
format	A ks_format object or a character string naming a format in the global format library.
...	Additional arguments for expression labels. Positional arguments are mapped to .x1, .x2, etc. inside expression labels. Can be vectors of the same length as x or scalars (recycled).
keep_na	Logical. If TRUE, preserve NA in output instead of applying missing label.

Details

The function handles missing values in the following order:

1. NA, NULL, NaN -> Uses format's missing_label if defined
2. Exact matches -> Uses defined value-label mapping
3. Range matches (for numeric) -> Uses range label
4. No match -> Uses format's other_label or returns original value

Expression labels: If a label string contains .x1, .x2, etc., it is evaluated as an R expression at apply-time. Extra data is passed as positional arguments:

```
stat_fmt <- fnew("n" = "sprintf('%s', .x1)",
               "pct" = "sprintf('%.1f%%', .x1 * 100)")
fput(c("n", "pct"), stat_fmt, c(42, 0.15))
# Returns: "42" "15.0%"
```

Case-insensitive matching: When a format has ignore_case = TRUE, key matching is case-insensitive for character formats.

Value

Character vector with formatted labels

Examples

```
# Basic discrete formatting
fnew("M" = "Male", "F" = "Female", .missing = "Unknown", name = "sex")
fput(c("M", "F", NA, "X"), "sex")
# [1] "Male" "Female" "Unknown" "X"

# Preserve NA instead of applying missing label
sex_f <- fnew("M" = "Male", "F" = "Female", .missing = "Unknown")
fput(c("M", "F", NA), sex_f, keep_na = TRUE)
# [1] "Male" "Female" NA

# Numeric range formatting
fparse(text = '
VALUE score (numeric)
  (0, 50] = "Low"
  (50, 100] = "High"
  .other = "Out of range"
;
')
fput(c(0, 1, 50, 51, 100, 101), "score")
# [1] "Out of range" "Low" "Low" "High" "High" "Out of range"
fclear()
```

fputc

Apply Character Format by Name (like 'SAS' PUTC)

Description

Looks up a character VALUE format by name from the global format library and applies it to the input vector.

Usage

```
fputc(x, format_name, ...)
```

Arguments

x	Character vector of values to format
format_name	Character. Name of a registered character format, or a character vector of format names (same length as x) to apply a different format per element (like 'SAS' PUTC with a variable format).
...	Additional arguments passed to <code>fput</code> for expression labels (mapped to .x1, .x2, etc.).

Value

Character vector with formatted labels

Examples

```
# Apply character format by name
fnew("M" = "Male", "F" = "Female", name = "sex")
fputc(c("M", "F"), "sex")
# [1] "Male" "Female"

# Bidirectional: forward direction
fnew_bid(
  "A" = "Active",
  "I" = "Inactive",
  "P" = "Pending",
  name = "status"
)
fputc(c("A", "I", "P", "A"), "status")
# [1] "Active" "Inactive" "Pending" "Active"
fclear()
```

fputn

Apply Numeric Format by Name (like 'SAS' PUTN)

Description

Looks up a numeric VALUE format by name from the global format library and applies it to the input vector.

Usage

```
fputn(x, format_name, ...)
```

Arguments

x	Numeric vector of values to format
format_name	Character. Name of a registered numeric format, or a character vector of format names (same length as x) to apply a different format per element (like 'SAS' PUTN with a variable format).
...	Additional arguments passed to <code>fput</code> for expression labels (mapped to .x1, .x2, etc.).

Value

Character vector with formatted labels

Examples

```
# Numeric range formatting
fparse(text = '
VALUE age (numeric)
  [0, 18)   = "Child"
  [18, 65) = "Adult"
  [65, HIGH] = "Senior"
  .missing  = "Age Unknown"
;
')
fputn(c(5, 25, 70, NA), "age")
# [1] "Child" "Adult" "Senior" "Age Unknown"

# SAS date format (auto-resolved, no pre-creation needed)
fputn(as.Date("2025-01-15"), "DATE9.")
# [1] "15JAN2025"

# Time format (seconds since midnight)
fputn(c(0, 3600, 45000), "TIME8.")
# [1] "00:00:00" "01:00:00" "12:30:00"
fclear()
```

fput_all

Apply Format and Return All Matches (Multilabel)

Description

For multilabel formats, returns all matching labels for each input value. Regular `fput` returns only the first match; this function returns all matches as a list of character vectors.

Usage

```
fput_all(x, format, ..., keep_na = FALSE)
```

Arguments

<code>x</code>	Vector of values to format
<code>format</code>	A <code>ks_format</code> object or a character string naming a format in the global format library.
<code>...</code>	Additional arguments for expression labels (mapped to <code>.x1</code> , <code>.x2</code> , etc.).
<code>keep_na</code>	Logical. If TRUE, preserve NA in output.

Value

A list of character vectors. Each element contains all matching labels for the corresponding input value.

Examples

```

# Basic multilabel: a value can match multiple labels
age_ml <- fnew(
  "0,5,TRUE,TRUE" = "Infant",
  "6,11,TRUE,TRUE" = "Child",
  "12,17,TRUE,TRUE" = "Teen",
  "0,17,TRUE,TRUE" = "Minor",
  "18,64,TRUE,TRUE" = "Adult",
  "65,Inf,TRUE,TRUE" = "Senior",
  name = "age_ml", type = "numeric", multilabel = TRUE
)

fput_all(c(3, 15, 25), age_ml)
# [[1]] "Infant" "Minor"
# [[2]] "Teen" "Minor"
# [[3]] "Adult"

# Multilabel with .missing and .other
fnew(
  "0,100,TRUE,TRUE" = "Valid Score",
  "0,49,TRUE,TRUE" = "Below Average",
  "50,100,TRUE,TRUE" = "Above Average",
  "90,100,TRUE,TRUE" = "Excellent",
  .missing = "No Score",
  .other = "Out of Range",
  name = "score_ml", type = "numeric", multilabel = TRUE
)
fput_all(c(95, 45, NA, 150), "score_ml")
# [[1]] "Valid Score" "Above Average" "Excellent"
# [[2]] "Valid Score" "Below Average"
# [[3]] "No Score"
# [[4]] "Out of Range"

# Parse multilabel from text
fparse(text = '
VALUE risk (numeric, multilabel)
  [0, 3] = "Low Risk"
  [0, 7] = "Monitored"
  (3, 7] = "Medium Risk"
  (7, 10] = "High Risk"
;
')
fput_all(c(2, 5, 9), "risk")
# [[1]] "Low Risk" "Monitored"
# [[2]] "Monitored" "Medium Risk"
# [[3]] "High Risk"
fclear()

```

Description

Applies formats to one or more columns in a data frame.

Usage

```
fput_df(data, ..., suffix = "_fmt", replace = FALSE)
```

Arguments

data	Data frame
...	Named format specifications: column_name = format_object_or_name
suffix	Character. Suffix to add to formatted column names (default: "_fmt")
replace	Logical. If TRUE, replace original columns; if FALSE, create new columns

Value

Data frame with formatted columns

Examples

```
# Apply formats to multiple columns
df <- data.frame(
  id = 1:6,
  sex = c("M", "F", "M", "F", NA, "X"),
  age = c(15, 25, 45, 70, 35, NA),
  stringsAsFactors = FALSE
)

sex_f <- fnew("M" = "Male", "F" = "Female", .missing = "Unknown")
fparse(text = '
VALUE age (numeric)
  [0, 18) = "Child"
  [18, 65) = "Adult"
  [65, HIGH] = "Senior"
  .missing = "Age Unknown"
;
')
age_f <- format_get("age")

fput_df(df, sex = sex_f, age = age_f, suffix = "_label")

# Date formatting in data frames
patients <- data.frame(
  id = 1:4,
  visit_date = as.Date(c("2025-01-10", "2025-02-15", "2025-03-20", NA)),
  stringsAsFactors = FALSE
)
visit_fmt <- fnew_date("DATE9.", name = "visit_fmt", .missing = "NOT RECORDED")
fput_df(patients, visit_date = visit_fmt)
fclean()
```

is_missing	<i>Check if Value is Missing</i>
------------	----------------------------------

Description

Element-wise check for missing values including NA and NaN. Optionally treats empty strings as missing.

Usage

```
is_missing(x)
```

Arguments

x	Value to check
---	----------------

Value

Logical vector. NULL input returns `logical(0)`.

Examples

```
is_missing(NA)           # TRUE
is_missing(NaN)          # TRUE
is_missing("")           # TRUE
is_missing("text")       # FALSE
is_missing(c(1, NA, NaN)) # FALSE TRUE TRUE
```

ksformat_cheatsheet	<i>Open the ksformat cheat sheet</i>
---------------------	--------------------------------------

Description

Opens the package cheat sheet in the default browser (HTML) or viewer (PDF). The files are installed under `system.file("doc", ..., package = "ksformat")`.

Usage

```
ksformat_cheatsheet(format = c("html", "pdf"))
```

Arguments

format	Character: "html" (default) or "pdf". Which version to open.
--------	--

Value

Invisibly, the path to the opened file. If the file is not found, an error is thrown.

Examples

```
ksformat_cheatsheet()      # open HTML in browser
ksformat_cheatsheet("pdf") # open PDF
```

```
print.ks_format      Print Format Object
```

Description

Print Format Object

Usage

```
## S3 method for class 'ks_format'
print(x, ...)
```

Arguments

```
x          A ks_format object
...        Additional arguments (unused)
```

Value

The input x, returned invisibly.

```
print.ks_invalue     Print Invalue Object
```

Description

Print Invalue Object

Usage

```
## S3 method for class 'ks_invalue'
print(x, ...)
```

Arguments

```
x          A ks_invalue object
...        Additional arguments (unused)
```

Value

The input x, returned invisibly.

range_spec	<i>Create Range Specification</i>
------------	-----------------------------------

Description

Helper function to create range specifications for numeric formats.

Usage

```
range_spec(low, high, label, inc_low = TRUE, inc_high = FALSE)
```

Arguments

low	Numeric. Lower bound of the range.
high	Numeric. Upper bound of the range.
label	Character. Label for values in this range.
inc_low	Logical. If TRUE (default), the lower bound is inclusive (\geq). If FALSE, exclusive ($>$).
inc_high	Logical. If TRUE, the upper bound is inclusive (\leq). If FALSE (default), exclusive ($<$).

Details

By default, ranges are half-open: $[low, high)$ — the lower bound is included and the upper bound is excluded. This matches 'SAS' PROC FORMAT range semantics and prevents overlap between adjacent ranges.

Value

A range_spec object (list with low, high, label, inc_low, inc_high).

Examples

```
range_spec(0, 18, "Child")           # [0, 18)
range_spec(18, 65, "Adult")         # [18, 65)
range_spec(65, Inf, "Senior", inc_high = TRUE) # [65, Inf]
```

Index

* package

ksformat-package, 2

fclear, 3

fexport, 4, 13

fimport, 5

finput, 2, 6

finputc, 2, 7

finputn, 2, 8

fnew, 2, 6, 9

fnew_bid, 10

fnew_date, 11

format_get, 13

fparse, 2, 14

fprint, 16

fput, 2, 9, 13, 17, 18–20

fput_all, 9, 20

fput_df, 13, 21

fputc, 2, 13, 18

fputn, 2, 13, 19

is_missing, 23

ksformat (ksformat-package), 2

ksformat-package, 2

ksformat_cheatsheet, 2, 23

print.ks_format, 24

print.ks_invalue, 24

range_spec, 25